



Ymchwil Iechyd
a Gofal **Cymru**
Health and Care
Research **Wales**

Research Directory

September 2018



Ymchwil Iechyd
a Gofal **Cymru**
Health and Care
Research **Wales**



Ariennir gan
Lywodraeth Cymru
Funded by
Welsh Government

Health and Social Care Portfolio

(Studies marked with * have a social care element)

Study Name	Study Description
Ageing	
Proxy Consent Study	Informed consent and proxy decision making in research involving adults lacking capacity: Development of an intervention to support proxy informed decision making, set within ethical and legal frameworks
Anaesthesia, perioperative medicine and pain management	
PRISM	Prevention of Respiratory Insufficiency after Surgical Management (PRISM) Trial: A pragmatic randomised controlled trial of continuous positive airway pressure (CPAP) to prevent respiratory complications and improve survival following major abdominal surgery
FLO-ELA	FLO-ELA: FLuid Optimisation in Emergency LAparotomy. Open, multi-centre, randomised controlled trial of cardiac output -guided haemodynamic therapy compared to usual care in patients undergoing emergency bowel surgery.
Improving Tracheostomy Care	Improving Tracheostomy Care - National Quality Improvement Programme
ITACS Trial	IV iron for Treatment of Anaemia before Cardiac Surgery
Perioperative Quality Improvement Programme: Patient Study	Improving perioperative care through the use of quality data: Patient Study of the Perioperative Quality Improvement Programme
OPTIMISE II	Optimisation of Peri-operative Cardiovascular Management to Improve Surgical Outcome II (OPTIMISE II) Trial: Open, multi-centre, randomised controlled trial of cardiac output-guided fluid therapy with low dose inotrope infusion compared to usual care in patients undergoing major elective gastrointestinal surgery.
Drug Allergy Labels in the Elective Surgical Population	What is the prevalence, accuracy and impact of drug allergy labelling in the elective surgical population, and how do anaesthetists respond to these labels?
Cancer	
Cancer - Bladder	
NEOBLADE	Phase II randomised placebo controlled NEOadjuvant chemotherapy study of Nintedanib with Gemcitabine and Cisplatin in locally advanced muscle invasive BLADder canCEr
InPACT	InPACT - International Penile Advanced Cancer Trial (International Rare Cancer Initiative)
ACTICCA-1	Adjuvant chemotherapy with gemcitabine and cisplatin compared to observation after curative intent resection of cholangiocarcinoma and muscle invasive gallbladder carcinoma (ACTICCA-1 trial) A randomized, multidisciplinary, multinational AIO/DGAV/DGVS phase III trial.
Cancer - Brain	
SIOP Ependymoma II	SIOP Ependymoma II - An International Clinical Program for the diagnosis and treatment of children, adolescents and young adults with Ependymoma
PARADIGM 2	OlaPARib plus RADIotherapy alone or radiotherapy plus temozolomide in newly-diagnosed Glioblastoma stratified by MGMT status: 2 parallel phase I studies

Research Directory – September 2018

Cancer - Breast	
LATTE	Long-term Anastrozole vs. Tamoxifen Treatment Effects
FAST-Forward	FAST-Forward: a randomised clinical trial testing a 1 week course of curative whole breast radiotherapy against a standard 3 week schedule in terms of local cancer control and late adverse effects in women with early breast cancer
POSNOC	POSNOC - POSitive Sentinel NOde: adjuvant therapy alone versus adjuvant therapy plus Clearance or axillary radiotherapy. A randomised controlled trial of axillary treatment in women with early stage breast cancer who have metastases in one or two sentinel nodes.
OPTIMA	Optimal Personalised Treatment of early breast cancer using Multiparameter Analysis
MAMMO-50	MAMMO-50: Mammographic surveillance in breast cancer patients aged 50 years and over: a randomised controlled trial
LORIS	A Phase III Trial of Surgery versus Active Monitoring for Low Risk Ductal Carcinoma in Situ (DCIS)
AURORA	AURORA: Aiming to Understand the Molecular Aberrations in Metastatic Breast Cancer
CONCEPT (Breast Cancer)	A randomised phase II pilot study of 3 weekly Cabazitaxel versus weekly Paclitaxel chemotherapy in the first line treatment of HER2 negative metastatic breast cancer
3D scanning of lymphoedema arms	Exploiting 3D scanning technology in lymphoedema for accurate and fast measurements of volume and shape
UNIRAD	Randomized, doubleblind, multicentre phase III trial evaluating the safety and benefit of adding everolimus to adjuvant hormone therapy in women with high risk of relapse, ER+ and HER2-primary breast cancer who remain free of disease after receiving at least 1 year of adjuvant hormone therapy
Proxy decision making for older women with breast cancer	Proxy decision making for older women with cognitive impairments and breast cancer
PARTNER	Randomised, phase II/III, 3 stage trial to evaluate the safety and efficacy of the addition of olaparib to platinum-based neoadjuvant chemotherapy in breast cancer patients with TNBC and/or gBRCA
A multi-centred-study of the effectiveness of PEGASUS	A multi-centred study of the effectiveness of PEGASUS, an intervention to promote shared decision making about breast reconstruction
PALbociclib CoLLaborative Adjuvant Study	A randomized phase III trial of Palbociclib with standard adjuvant endocrine therapy versus standard adjuvant endocrine therapy alone for hormone receptor positive (HR+) / human epidermal growth factor receptor 2 (HER2)- negative early breast cancer
ROSCO	Response to Optimal Selection of neo-adjuvant Chemotherapy in Operable breast cancer: A randomised phase III, stratified biomarker trial of neoadjuvant 5-Fluorouracil, Epirubicin and Cyclophosphamide vs Docetaxel and Cyclophosphamide chemotherapy
CUbbs:Cardiff University breast biopsy study	Collection of core biopsy breast tissue from female patients at the Cardiff and Vale Breast Centre for use in research at Cardiff University.
Cancer - Children's Cancer	
Improving Population Outcomes for Renal Tumours of Childhood (IMPORT)	Improving Population Outcomes for Renal Tumours of Childhood - applying P-Medicine tools to improve treatment decisions for Wilms tumour and other renal tumours of childhood and young adults: A SIOP Renal Tumours Study Group prospective clinical study
EuroNet PHL-LP1 Hodgkin's	First International InterGroup Study for Nodular Lymphocyte Predominant Hodgkin's Lymphoma in Children and Adolescents
FACT study	Factors associated with Childhood Tumours Study

UKALL 2011	United Kingdom National Randomised Trial for Children and Young Adults with Acute Lymphoblastic Leukaemia and Lymphoma 2011
Cancer - Colorectal	
NSCCG	National Study of Colorectal Cancer Genetics
FOCUS-4: Molecular selection of therapy in colorectal cancer	FOCUS-4 – Molecular selection of therapy in colorectal cancer: a molecularly stratified randomised controlled trial programme
HART	Hughes Abdominal Repair Trial
SAILOR	Multicentre randomised feasibility trial evaluating Early Surgery Alone in Low rectal cancer (SAILOR)
LARRIS	The use of rectal irrigation for low anterior resection syndrome
BALLAD	BALLAD. A trial to evaluate the potential benefit of adjuvant chemotherapy for small bowel adenocarcinoma.
PARiS	Pelvic Floor Physiotherapy and Anterior Resection Syndrome
The SCOTTY Study	The SCOTTY Study - whole genome sequencing study of young colon cancer patients and their parents
PLATO - Personalising Anal cancer radioTherapy dose	PLATO - Personalising Anal cancer radioTherapy dose - Incorporating Anal Cancer Trials (ACT) ACT3, ACT4 and ACT5
Prepare-ABC	Supportive Exercise Programmes for Accelerating Recovery after major Abdominal Cancer surgery (PREPARE-ABC)
SERENADE	SERENADE: Screening for synchronous metastases in colorectal cancer using Hepatic Diffusion weighted MRI.
RAMAN spectroscopy and colorectal cancer	RAMAN spectroscopy and colorectal cancer: towards early diagnosis and personalised medicine
Cancer - Gynaecological	
ICON8 Trials Programme	ICON8: A phase III randomised trial of dose-fractionated chemotherapy compared to standard three-weekly chemotherapy, for women with newly diagnosed epithelial ovarian, fallopian tube or primary peritoneal cancer and ICON8B: A phase III randomised trial investigating the combination of dose-fractionated chemotherapy and bevacizumab for the first-line treatment of women with newly diagnosed high-risk stage II wstage III-IV epithelial ovarian, fallopian tube or primary peritoneal cancer
Preferences for gynaecology cancer follow up : a DCE	Gynaecological cancer patients, their informal caregivers, and health care providers preferences for Gynaecological cancer follow-up care: A discrete choice experiment
INTERLACE	A phase III multicentre trial of weekly induction chemotherapy followed by standard chemoradiation versus standard chemoradiation alone in patients with locally advanced cervical cancer
Biomarkers for Ovarian Pathology	Identifying ovarian and blood biomarkers for ovarian pathologies
ROCKeTS	Refining Ovarian Cancer Test Accuracy Scores: A test accuracy study to validate new risk scores in women with symptoms of suspected ovarian cancer.
NiCCC Trial (BIBF1120)	A Randomised Phase II Study of Nintedanib (BIBF1120) Compared to Chemotherapy in Patients with Recurrent Clear Cell Carcinoma of the Ovary or Endometrium
Cancer - Haematological Oncology	
MDSBio	Molecular and functional characterisation of bone marrow function in normal subjects, myelodysplastic syndromes (MDS), acute myeloid leukaemia (AML) and secondary disorders of haematopoiesis
UKALL 14	A randomized trial for adults with newly diagnosed acute lymphoblastic leukaemia

Research Directory – September 2018

LI-1	Leukaemia Lymphoma Research and NCRI Working Group Pick a Winner Programme (LI1) Trial
Understanding and managing the coagulopathy of APL (Pilot Study)	Understanding and managing the coagulopathy of Acute Promyelocytic leukaemia in the acute stage - pilot study.
FLAIR	FLAIR: Front-Line therapy in CLL: Assessment of Ibrutinib + Rituximab
AML18	A Trial for Older Patients with Acute Myeloid Leukaemia and High Risk Myelodysplastic Syndrome
AML19	Adults with acute myeloid leukaemia or high-risk myelodysplastic syndrome
UKALL60+	A Phase 2 study for older adults with Acute Lymphoblastic Leukaemia
Role of NFkB in CLL	Targeting NF-kB activation and proliferation signals in CLL.
ELASTIC	A Phase Ib Study of Eltrombopag and Azacitidine in Patients with High Risk Myelodysplastic Syndromes and Related Disorders
V1: Development of a PRO Measure in Haematological Practice	The Conceptualisation, Development and Validation of a Treatment-Related Patient-Reported Outcome Measure in Haematological Malignancies for Use in Clinical Practice
MONOCLE	A phase 2 study of the monocyte-targeted histone deacetylase inhibitor tefinostat (CHR-2845) in chronic myelomonocytic leukaemia (CMML)
TAMARIN	Effects of TAMoxifen on the Mutant Allele Burden and Disease Course in Patients with Myeloproliferative Neoplasms
MUK eleven	VIReL: Viral immunotherapy in Relapsed/Refractory Multiple Myeloma - A Phase I Study to Assess the Safety and Tolerability of REOLYSIN® (pelareorep) in Combination with Lenalidomide or Pomalidomide
Myeloma XII (ACCoRd trial) Version 1.0	A phase III study to determine the role of ixazomib as an Augmented Conditioning therapy in salvage autologous stem cell transplant (ASCT) and as a post-ASCT Consolidation and maintenance strategy in patients with Relapsed multiple myeloma.
Cancer - Head and Neck	
IoN	IoN Is ablative radio-iodine necessary for low risk differentiated thyroid cancer patients
PATHOS	A Phase II/III trial of risk-stratified, reduced intensity adjuvant treatment in patients undergoing transoral surgery for Human papillomavirus (HPV)-positive oropharyngeal cancer
NIMRAD (NIMorazole/placebo plus RADIotherapy in head and neck cancer)	A randomised placebo-controlled trial of synchronous NIMorazole versus RADIotherapy alone in patients with locally advanced head and neck squamous cell carcinoma not suitable for synchronous chemotherapy or cetuximab
SCOPE 2	A randomised Phase II/III trial to study radiotherapy dose escalation in patients with oesophageal cancer treated with definitive chemoradiation with an embedded Phase II trial for patients with a poor early response using positron emission tomography (PET)
WISTERIA: WEE1 inhibitor with Cisplatin and Radiotherapy	A Phase I trial of WEE1 inhibition with Chemotherapy and Radiotherapy as adjuvant treatment, and a Window of Opportunity trial with Cisplatin in Patients with Head and Neck Cancer
Head & Neck 5000 Follow-up Study	Head & Neck 5000 Follow-up Study
Cancer - Lung	
EARLY Project	Early Detection of Respiratory Disease using Expired Breath Analysis by Ion Mobility Spectrometry
TRACERx	TRACKing non small cell lung Cancer Evolution through therapy (Rx)

National Lung Matrix: Multi-Drug Phase II trial in NSC Lung Cancer	National Lung Matrix Trial: Multi-drug, genetic marker-directed, non-comparative, multi-centre, multi-arm phase II trial in non-small cell lung cancer
VIM	A randomised controlled phase II trial of oral vinorelbine as second line therapy for patients with malignant pleural mesothelioma
MARS 2	Mesothelioma and Radical Surgery 2: a multicentre randomised trial comparing (extended) pleurectomy decortication versus no (extended) pleurectomy decortication for patients with malignant pleural mesothelioma (MARS 2)
LUSH (LUng Symptom awareness and Health)	Empowering high risk, harder to reach groups to engage with lung cancer awareness and timely symptom presentation
PEACE (Posthumous tissue donAtion in CancEr)	The PEACE (Posthumous Evaluation of Advanced Cancer Environment) Study
CONFIRM	CheckpOiNt blockade For Inhibition of Relapsed Mesothelioma (CONFIRM): A Phase III Trial to Evaluate the Efficacy of Nivolumab in Relapsed Mesothelioma
TIPS	THE INHALED PARTICLES STUDY
Cancer - Lymphoma	
MaPLe: Molecular profiling for lymphoma	Molecular profiling for lymphoma
The Causes of Clonal Blood Cell Disorders	The Causes of Clonal Blood Cell Disorders
PHAZAR	A phase Ib study to assess the safety and tolerability of oral Ruxolitinib in combination with 5-azacitidine in patients with advanced phase myeloproliferative neoplasms (MPN), including myelodysplastic syndromes (MDS) or acute myeloid leukaemia (AML) arising from MPN.
Cancer - Melanoma	
Diagnostic Journeys in Myeloma (DJiM)	Diagnostic Journeys in Myeloma (DJiM):how long does it take to be diagnosed?
Skin cancer stem cells	The isolation and characterisation of normal skin keratinocyte and non-melanoma skin cancer stem cells
SelPac	A Randomised three arm, open-label, Phase II study of continuous Selumetinib versus continuous or interrupted Selumetinib in combination with weekly Paclitaxel in metastatic Uveal Melanoma
Rational MCC	Rational treatment selection for Merkel Cell Carcinoma (MCC): A randomised phase III multi-centre trial comparing radical surgery and radical radiotherapy as first definitive treatment for primary MCC with an observational study for patients ineligible for the randomised trial.
PIANO Study - PLX3397 c-KIT in advanced acral and mucosal melanoma	A Phase II Trial of PLX3397 in the Treatment of KIT Mutated Advanced Acral and Mucosal Melanoma (PIANO)
Cancer - Multi-site	
Biomarkers associated with post-treatment complications in cancer	The expression of biomarkers and clinical outcome measures pre and postsurgical treatment of prostate, bladder and penile cancers
SEARCH (Breast Cancer)	A population based study of genetic predispositions and gene-environment interactions in Breast cancer
WICKED	'WICKED' (Wales Interventions and Cancer Knowledge about Early Diagnosis): The development and evaluation of primary care interventions to expedite the diagnosis of symptomatic cancer in Wales.

Feasibility of an 'app' to prepare cancer patients for consultations	Exploring the potential of a mobile phone or tablet 'app' to help patients with cancer prepare for consultations: Phase 3 pilot evaluation
Cancer Rehabilitation: Perceptions and attitudes	Cancer Rehabilitation: Understanding the perceptions and attitudes of patients and Physiotherapists within an oncology and palliative care setting
CR UK Stratified Medicine Pilot study	The Cancer Research UK Stratified Medicine Programme: Pilot Study
Cancer - Other	
MCL Biobank Observational Study	Establishing a Biobank and Database as a National Resource for Characterising Indolent and Aggressive forms of Mantle Cell Lymphoma, an Observational Study.
FACT: Factors Associated with lung Cancer Trial	Factors associated with late presentation in patients with lung cancer: A patient centred approach
Patient Reported Outcome Measure In Skin Cancer Reconstruction Study	The Patient Reported Outcome Measure In Skin Cancer Reconstruction (PROMISCR) study. Anglicisation and validation of the FACE-Q dermatological surgery outcome measure for patients who have undergone different methods of post-skin cancer reconstruction of the face.
Biomed	Biological Medicine for Diffuse Intrinsic Pontine Glioma (DIPG) Eradication (Biomed)
MUK Nine a: Screening Study	MUKnine a: An observational and screening study to identify high risk myeloma patients suitable for novel treatment approaches and determine treatment outcomes for non-high risk myeloma patients
MUK Nine b: Optimum	MUK nine b: OPTIMUM. A phase II study evaluating multiple novel agents optimised combination of biological therapy in newly diagnosed high risk multiple myeloma and plasma cell leukaemia.
Challenges of Cancer and Disability Study- CoCaDS	Challenges of Cancer and Disability Study- CoCaDS
The Caravaggio Study	APIXABAN FOR THE TREATMENT OF VENOUS THROMBOEMBOLISM IN PATIENTS WITH CANCER: A PROSPECTIVE RANDOMIZED OPEN BLINDED END-POINT (PROBE) STUDY - THE CARAVAGGIO STUDY
The PACE Study	International randomised study of laparoscopic prostatectomy vs stereotactic body radiotherapy (SBRT) and conventionally fractionated radiotherapy vs SBRT for early stage organ-confined prostate cancer
rEECur	International randomised controlled trial of chemotherapy for the treatment of recurrent and primary refractory Ewing sarcoma
PRIMETIME	Post-operative avoidance of radiotherapy: biomarker selection of women categorised to be in a very low risk group by IHC4+C
CTC-STOP	CTC-STOP: Utilising Circulating Tumour Cell (CTC) Counts to Optimize Systemic Therapy of Metastatic Prostate Cancer.
MErCuRIC1: MEK and MET Inhibition in Colorectal Cancer	A Phase I study of MEK1/2 inhibitor PD0325901 with cMET inhibitor PF02341066 in KRASMT and KRASWT(with aberrant cMET) Colorectal Cancer Patients
MyeChild 01	International Randomised Phase III Clinical Trial in Children with Acute Myeloid Leukaemia - Incorporating an Embedded Dose Finding Study for Gemtuzumab Ozogamicin in Combination with Induction Chemotherapy
Raman spectroscopy and colorectal cancer	Raman spectroscopy and colorectal cancer: towards early diagnosis and personalised medicine
proCAD	ProCAD - a software diagnostic tool for prostate cancer detection, classification, active surveillance and staging in mpMRI
PerMeT: Patient Perspectives on Peritoneal Metastasis Treatments	The perspectives of palliative patients towards new treatments for peritoneal metastases

plasmaMATCH	The UK plasma based Molecular profiling of Advanced breast cancer to inform Therapeutic Choices (plasmaMATCH) Trial: A multiple parallel cohort, open-label, multi-centre phase IIa clinical trial aiming to provide proof of principle efficacy for designated targeted therapies in patients with advanced breast cancer where the targetable mutation is identified through ctDNA screening
Oncotype Dx node positive study	The Impact of the Oncotype DX® Breast Cancer Assay on Treatment Decisions in a UK Population of Patients with Estrogen Receptor-Positive Early Breast Cancer with 1-3 Positive Lymph Nodes, who are Potential Candidates for Chemotherapy, but for whom the Benefits of Chemotherapy are Uncertain
Immunotherapy with CD25/71 Allodepleted T-cells (ICAT)	Adoptive Immunotherapy with CD25/71 allodepleted donor T-cells to improve immunity after unrelated donor stem cell transplant (ICAT)
IDEAS - (Identification of DEterminants of Altered circadian rhythms)	Evaluation of objective and patient-reported determinants of disruption of the circadian rest-activity rhythm (low Dichotomy Index I < O); Propaedeutic multicenter observational study.
LGUCQ self-report tool: men's views on symptom disclosure	Does the use of a 2-sided questionnaire (LGUCQ) facilitate symptom disclosure for men after treatment for genitourinary cancer in relation to lymphoedema? An exploratory qualitative study
Uterine Protection in Lynch Syndrome (UP study)	Uterine Protection in Lynch Syndrome - An exploration of current risk reductive strategies and potential surveillance methodologies.
Cardiac CARE	A multicentre prospective randomised open-label blinded end-point controlled trial of high-sensitivity cardiac troponinI-guided combination angiotensin receptor blockade and beta blocker therapy to prevent cardiac toxicity in breast cancer patients receiving anthracycline adjuvant therapy (Cardiac CARE)
The role of the marrow microenvironment in the pathogenesis of AML	Investigating the role of the bone marrow microenvironment in the pathogenesis, treatment resistance and relapse of acute myeloid leukaemia following chemotherapy and after bone marrow transplantation.
SPECTA (EORTC 1553)	SPECTA: Screening Cancer Patients for Efficient Clinical Trial Access
Best-Of	Phase III study assessing the "Best-Of" radiotherapy compared to the "Best-Of" surgery (trans-oral surgery (TOS) in patients with T1-T2, N0 oropharyngeal carcinoma
PYTHIA	Palbociclib in molecularly characterized ER-positive/HER2-negative metastatic breast cancer: the PYTHIA study A Phase II Study of Palbociclib plus Fulvestrant for pretreated patients with ER+/HER2- Metastatic Breast Cancer
The MENAC Trial	A randomised, open-label trial of a Multimodal Intervention (Exercise, Nutrition and Anti-inflammatory Medication) plus standard care versus standard care alone to prevent / attenuate cachexia in advanced cancer patients undergoing chemotherapy.
Androgens-CHOice of Intermittent vs Continual in Prostate Cancer	Choice of Intermittent vs Continual Androgen Deprivation in Prostate Cancer Acronym: A CHOICE-PC: Androgens - CHOice of Intermittent vs Continual- Prostate Cancer
LiTEFORM Light Therapy Effectiveness For Oral Mucositis	A Randomised Controlled Trial of the Clinical and Cost Effectiveness of Low Level Laser in the Management of Oral Mucositis in Head and Neck Cancer Irradiation.
REEACaRS	Realist evaluation and economic analysis of cancer rehabilitation services in South Wales (REEACaRS)
ENRICH Ibrutinib for untreated mantle cell lymphoma	Randomised, open label study of rituximab/ibrutinib vs rituximab/chemotherapy in older patients with untreated mantle cell lymphoma
PANSPEC: Spectroscopic diagnosis of pancreatic cancer	PANSPEC: Developing Rapid Serum Spectroscopy for Early Diagnosis of Pancreatic Cancer
JaW PrinT	Jaw reconstruction with printed or flexed titanium and free tissue transfer.
ADSCaN.	A Randomised Phase II study of Accelerated, Dose escalated, Sequential Chemo-radiotherapy in Non-small Cell Lung Cancer.

Partner role when adolescents and young adults have cancer	An examination of the role of partners in helping to meet the support needs of adolescents and young adults with cancer.
CompARE Trial	Phase III randomised controlled trial Comparing Alternative Regimens for escalating treatment of intermediate and high-risk oropharyngeal cancer
Challenge	A Phase III Study Of The Impact Of A Physical Activity Program On Disease-Free Survival In Patients With High Risk Stage II Or Stage III Colon Cancer: A Randomised Controlled Trial
c-TRAK TN	c-TRAK TN: A randomised trial utilising ctDNA mutation tracking to detect minimal residual disease and trigger intervention in patients with moderate and high risk early stage triple negative breast cancer
OCTOVA	Randomised phase II Trial of olaparib, chemotherapy or olaparib and cediranib in patients with BRCA mutated platinum-resistant ovarian cancer
RAIDER	A Randomised phase II trial of Adaptive Image guided standard or Dose Escalated tumour boost Radiotherapy in the treatment of transitional cell carcinoma of the bladder
IMAT-Neuroblastoma	A randomised phase I/II study of Intensity Modulated Arc Therapy techniques in abdominal neuroblastoma
UK P3BEP Trial	UK P3BEP - A randomised phase 3 trial of accelerated versus standard BEP chemotherapy for patients with intermediate and poor-risk metastatic germ cell tumours
ATLANTIS	An adaptive multi-arm phase II trial of maintenance targeted therapy after chemotherapy in metastatic urothelial cancer
TIDaL	Risk-stratified sequential Treatment with Ibrutinib and Rituximab (IR) and IR-CHOP for De-novo post-transplant Lymphoproliferative disorder (PTLD)
Non-Hodgkin's Lymphoma in Young Adults	A prospective UK population-based study of incidence, biology, treatment and outcomes of non-Hodgkin's Lymphoma in young adults
Cardamon trial	Carfilzomib/Cyclophosphamide/Dexamethasone with maintenance carfilzomib in untreated transplant-eligible patients with symptomatic MM to evaluate the benefit of upfront ASCT
eat-CIT: research about eating during Chemotherapy or ImmunoTherapy	eat-CIT: an investigation to inform the content of a web based resource to help people with cancer self-manage eating difficulties during Chemotherapy and/or Immunotherapy (systemic anti-cancer) Treatment
Cancer - Palliative Care	
The Prognosis in Palliative care Study II (PiPS2)	The Prognosis in Palliative care Study II (PiPS2)
Cancer - Prostate	
UK Genetic Prostate Cancer Study	UK Genetic Prostate Cancer Study (formerly the Familial Prostate Cancer Study)
Add-Aspirin	A phase III double-blind placebo-controlled randomised trial assessing the effects of aspirin on disease recurrence and survival after primary therapy in common non-metastatic solid tumours.
INDEX	A Multi-centre Prospective Single Arm Intervention Trial Evaluating Focal Therapy using High Intensity Focused Ultrasound (Sonablate 500) for Localised Prostate Cancer
EAGLE study	EAGLE: Improving the wellbeing of men by evaluating and addressing the gastrointestinal late effects of radical treatment for prostate cancer
ProCAID	An open label phase I/randomised, double-blind phase II study in metastatic castration resistant Prostate Cancer of AZD5363 in combination with Docetaxel and prednisolone chemotherapy (ProCAID)

METformin And Longevity (METAL)	METformin And Longevity (METAL)- A window of opportunity study investigating biological effects of metformin in early stage prostate cancer
STAMPEDE	Systemic Therapy in Advancing or Metastatic Prostate Cancer: Evaluation of Drug Efficacy
PATCH	Prostate Adenocarcinoma: TransCutaneous Hormones. A randomised-controlled trial of transcutaneous oestrogen patches versus LHRH agonists in prostate cancer.
ProMPT	Molecular mechanisms of disease progression and the development of novel treatment strategies in advanced prostate cancer (Northern Prostate Cancer Collaborative (ProMPT))
Cancer - Psychosocial Oncology	
HORIZONS: Understanding the impact of cancer diagnosis and treatment	HORIZONS: a cohort study to explore recovery of health and well-being in adults diagnosed with cancer
Cancer - Radiotherapy	
RAPPER	Radiogenomics: assessment of polymorphisms for predicting the effects of radiotherapy
Cancer - Sarcoma	
Pharmacokinetic variation and toxicity in Ewing's sarcoma	Pilot study to investigate the early prediction of toxicity following induction chemotherapy in Ewing's sarcoma by blood-borne biomarkers and correlation with age-dependent pharmacokinetic variation
Euro Ewing 2012	International Randomised Controlled Trial for the Treatment of Newly Diagnosed Ewing's Sarcoma Family of Tumours
Cancer - Testis	
TIGER	A RANDOMIZED PHASE III TRIAL COMPARING CONVENTIONAL-DOSE CHEMOTHERAPY USING PACLITAXEL, IFOSFAMIDE, AND CISPLATIN (TIP) WITH HIGH-DOSE CHEMOTHERAPY USING MOBILIZING PACLITAXEL PLUS IFOSFAMIDE FOLLOWED BY HIGH-DOSE CARBOPLATIN AND ETOPOSIDE (TI-CE) AS FIRST SALVAGE TREATMENT IN RELAPSED OR REFRACTORY GERM CELL TUMORS
Cancer - Upper GI	
ESPAC-4	EUROPEAN STUDY GROUP FOR PANCREATIC CANCER - TRIAL 4. Combination versus single agent chemotherapy in resectable pancreatic ductal and peri-ampullary cancers.
ROCS	Palliative radiotherapy in addition to self expanding metal stent for improving outcomes of dysphagia and survival in advanced oesophageal cancer.
PLATFORM	Planning treatment for oesophago-gastric cancer: a randomised maintenance therapy trial (PLATFORM Trial)
ESPAC-5F: European Study Group for Pancreatic Cancer - Trial 5F	ESPAC-5F: European Study Group for Pancreatic Cancer Trial 5F Four arm, prospective, multicentre, randomised feasibility trial of immediate surgery compared with neoadjuvant chemotherapies and neoadjuvant chemoradiotherapy.
Neo-AEGIS	Randomised Clinical Trial of neoadjuvant and adjuvant chemotherapy (MAGIC regimen) vs. neoadjuvant chemoradiation (CROSS protocol) in adenocarcinoma of the oesophagus and oesophago-gastric junction.
Cardiovascular Disease	
RAPID-CTCA	Rapid Assessment of Potential Ischaemic Heart Disease with CTCA The role of early CT Coronary Angiography in the evaluation, intervention and

	outcome of patients presenting to the Emergency Department or Medical Assessment Unit with suspected or confirmed Acute Coronary Syndrome (The RAPID-CTCA Trial)
REVIVED-BCIS2	Revascularisation for Ischaemic Ventricular Dysfunction (REVIVED)
Df: a novel clotting biomarker in CAD (version 01)	Fractal dimension (Df) of the incipient blood clot: A novel biomarker in Coronary Heart Disease (CAD)
CCHIRPPS	Cardiff Congenital Hearts – Investigating and Reporting Postnatal Presentation to formulate and implement a reporting system for identification of the percentage and types of congenital heart defects undiagnosed by current antenatal ultrasound screening.
ACTIVATION	The percutaneous Coronary Intervention prior to transcatheter aortic Valve implantation (ACTIVATION) trial
Soft Touch Hard Heart	Soft Touch Hard Heart: An exploration of the challenges and problems surrounding erectile dysfunction experienced by men and their partners
Emotional Impact of Telephone-Assisted CPR on EMS Call-Takers	Out-of-Hospital Cardiac Arrest: The Emotional Impact on EMS Call-Takers Offering and Providing Telephone-Assisted CPR to Family Members.
IRONMAN	Effectiveness of intravenous iron treatment vs standard care in patients with heart failure and iron deficiency: a randomised, open-label multicentre trial (IRONMAN)
STRIVE HF	A multicentre randomised control trial comparing standard cardiac resynchronisation pacing with triventricular pacing
MPP VARR	The effect of MultiPoint™ pacing on reverse remodelling and the incidence of ventricular arrhythmias – The MPP VARR Study
ROSE ACS	An Observational Post-authorization Safety Specialist Cohort Event Monitoring Study (SCEM) to Monitor the Safety and Utilization of Rivaroxaban (XARELTO®) Initiated in Secondary Care for the Prevention of Atherothrombotic Events in Patients Who Have Had Acute Coronary Syndrome in England and Wales
Comparison of Optimal Hypertension Regimens (AIM HY-INFORM)	Comparison of Optimal Hypertension Regimens (Part of the Ancestry Informative Markers in Hypertension (AIM HY) Programme – AIM HY-INFORM)
FAME 3	The FAME 3 Trial: A Comparison of Fractional Flow Reserve Guided Percutaneous Coronary Intervention and Coronary Artery Bypass Graft Surgery in Patients with Multivessel Coronary Artery Disease
EUROASPIRE V/ ASPIRE-3-PREVENT Survey	EUROASPIRE V/ ASPIRE-3-PREVENT Survey on Cardiovascular Disease Prevention and Diabetes
NOAH - AFNET 6	Non-vitamin K antagonist Oral anticoagulants in patients with Atrial High rate episodes
IMPRESS II	Intermittent Pneumatic Compression for treating lower limb lymphoedema
IMPRESS	Intermittent Pneumatic Compression for treating lower limb lymphoedema: a feasibility study
Children	
PREDNOS 2	Short course daily prednisolone therapy at the time of upper respiratory tract infection in children with relapsing steroid sensitive nephrotic syndrome; the PREDNOS 2 study.
Feeding and Autoimmunity in Down's syndrome Evaluation Study (FADES)	Feeding and Autoimmunity in Down's syndrome Evaluation Study (FADES)
BuRN-Tool – A multi Centre Study	Impact Evaluation of a Burns Risk Assessment of Neglect and Maltreatment in Children Tool

The British Orthopaedic Surgery Surveillance Study - The BOSS Study.	The British Orthopaedic Surgery Surveillance Study: A nationwide service evaluation, and nested-cohort study.
UK Childhood ITP Registry	The UK Paediatric ITP Registry
BSPAR ECS	British Society for Paediatric and Adolescent Rheumatology Etanercept Cohort Study (BSPAR ECS) (Formerly British Society for Paediatric and Adolescent Rheumatology Biologic and New Drugs Register for Juvenile Idiopathic Arthritis Patients Treated with Biological Therapies (BSPAR BNDR))
Induced sputum in children with cystic fibrosis	The contribution of induced sputum sampling to surveillance of lower respiratory tract microbiology in children with Cystic Fibrosis.
ASSIST+Frank	Adapting and piloting the ASSIST model of informal peer-led intervention delivery to the Talk to Frank drug prevention programme in UK secondary schools (ASSIST+Frank): an intervention development, pilot and exploratory trial
PUMA Paediatric early warning systems: Utility and Mortality Avoidance	PUMA Paediatric early warning system (PEWS): Utilisation and Mortality Avoidance. A prospective, mixed methods, before and after study identifying the evidence base for the core components of an effective PEWS and the development of an implementation package for implementation and use in the UK.
Identification of factors associated with speech disorder-cleft palate	Identification of factors associated with PSD of known origin in the UK Cleft Gene Bank study
UMSCOM	UK Multicentre Study of Children with Opsoclonus Myoclonus Syndrome (UMSCOM)
Feasibility of an impact analysis of a tool to predict abuse	Feasibility of an impact analysis of a clinical prediction tool to estimate the probability of abusive head trauma in children less than three years of age
RHiNO	Respiratory health outcomes in neonates
TrialNet TN18 Abatacept Prevention	CTLA-4 Ig (Abatacept) for prevention of abnormal glucose tolerance and diabetes in relatives at-risk for type 1 diabetes mellitus
Characterisation of Paediatric Myelodysplastic Syndromes	Phenotypic and Genotypic Characteristics of Paediatric Myelodysplastic Syndromes
The OPTIMIST-A Trial	Multicentre randomised controlled trial of minimally-invasive surfactant therapy in preterm infants 25-28 weeks gestation on continuous positive airway pressure (CPAP)
CAP-IT	Efficacy, safety and impact on antimicrobial resistance of duration and dose of amoxicillin treatment for young children with Community-Acquired Pneumonia (CAP): a randomised controlled trial.
ECUSTEC	Eculizumab in Shiga-Toxin producing E. Coli Haemolytic Uraemic Syndrome (ECUSTEC): A Randomised, Double-Blind, Placebo-Controlled Trial
CHIPS (HIV)	Collaborative HIV Paediatric Study: A Cohort Study of HIV Infected Children in UK and Ireland
Biologics for Children with Rheumatic Diseases - The Extended Biologics Study	The long-term Safety and Efficacy of Biologic Therapies in Children with Rheumatic Diseases
RaDaR: The National Study of Nephrotic Syndrome (NephroS)	A study to correlate the epidemiological and clinical features of Idiopathic Nephrotic Syndrome, in the UK, with genotype and to develop biomarkers of disease activity.
ECHO	Experiences of Children with Copy Number Variants
Baby-OSCAR Trial	Outcome After Selective Early Treatment for Closure of Patent Ductus Arteriosus in Pre-term Babies

Is a blended diet beneficial and safe for gastrostomy fed children?	To assess the benefits and risks of administering blended diet to children and young people who are gastrostomy fed in the community
Rituximab in Graves' Disease (RIGD)	Adjuvant rituximab – a potential treatment for the young patient with Graves' hyperthyroidism
The SANDWICH Trial	Sedation AND Weaning In CHildren: the SANDWICH trial
The DEPICT study	Critically ill children and young people: do national Differences in access to Emergency Paediatric Intensive Care and care during Transport affect clinical outcomes and patient experience? The DEPICT study
NEURO-PACK Observational study	NEURO-PACK: Neurologic Prognosis after Cardiac Arrest in Kids An observational study of neurodevelopmental outcome after cardiac arrest in children admitted to paediatric intensive care in the United Kingdom and Ireland
CF START	The cystic fibrosis (CF) anti-staphylococcal antibiotic prophylaxis trial (CF START); a randomised registry trial to assess the safety and efficacy of flucloxacillin as a longterm prophylaxis agent for infants with CF.
Be on the TEAM: Teenagers Against Meningitis	Evaluating the effect of immunisation with group B meningococcal vaccines on meningococcal carriage
Azithromycin Therapy for Chronic Lung Disease of Prematurity	A randomised, placebo controlled trial of azithromycin for the prevention of chronic lung disease of prematurity in preterm infants
DRN100 (TrialNet)	TrialNet Natural History Study of the Development of Type 1 Diabetes. Phase 1,2 and 3.
Critical Care	
The REST Study	pRotective vEntilation with ven-venouS lung assisT in respiratory failure
COMBACTE ASPIRE-ICU	Advanced Understanding of Staphylococcus Aureus and Pseudomonas aeruginosa Infections in EuRoPE - Intensive Care Units
The impact of critical care survivorship on family members	A qualitative study exploring the impact of surviving critical care admission on patients' family members.
The 65 Trial (v1.0)	Evaluating the clinical and cost-effectiveness of permissive hypotension in critically ill patients aged 65 years or over with vasodilatory hypotension
Target Temperature Management (TTM) after cardiac arrest trial 2	Targeted Hypothermia versus Targeted Normothermia after Out-of-hospital Cardiac Arrest. A Randomised Clinical Trial
Dementias and neurodegeneration	
Cognitive rehabilitation in Parkinson's	Cognitive rehabilitation for Parkinson's disease dementia: a pilot trial
The Parkinson's Pain Study	The Parkinson's Pain Study
AD GENETICS	Detecting Susceptibility Genes for Late-onset Alzheimer's disease
PD COMM - Lee Silverman Voice Treatment	A multi-centre randomised controlled trial to compare the clinical and cost effectiveness of Lee Silverman Voice Treatment versus standard NHS speech and language therapy versus control in Parkinson's disease (PD COMM)
Parkinson's Families Project (PFP)	Parkinson's Families Project (PFP)
Enroll-HD	Enroll-HD: A Prospective Registry Study in a Global Huntington's Disease Cohort

Huntington's Disease Fetal Tissue Collection	The collection of Huntington's Disease positive fetal tissue from elective termination of pregnancy
PSP CBD MSA Longitudinal Study UK	PROgressive Supranuclear Palsy CorTicoBasal Syndrome Multiple System Atrophy Longitudinal Study UK (PROSPECTMUK)
CAPIT-HD2	Beta Testing of a Revised Core Assessment Protocol for Intracranial transplantation in Huntington's Disease
Study of Melatonin for treatment of Nocturia in PD	Single-centre open label exploratory phase IIb pilot study of exogenous oral Melatonin for the treatment of Nocturia in adults with Parkinson's disease
REACT project	REACT project: an investigation of the active components of a specialist home treatment intervention to prevent hospital admission of people with dementia in crisis in the community
UK NEST HD	Safety and feasibility of neural transplantation in early to moderate Huntington's disease in the UK.
A novel cell model for the dementias	Induced pluripotent stem cells derived from patients with familial Alzheimer's disease and other dementias as novel cell models for neurodegeneration
HD-YAS v1.0	Huntington's Disease Young Adult Study
ProSec 3	A multi-centre evaluation of excessive saliva management in patients with motor neurone disease.
OccTED: Phase 2.	Developing an occupational therapy intervention for people living with early stage dementia: A qualitative, participatory action research (PAR) study.
Promotion of physical activity in Huntingtons disease specific clinics	Promotion of physical activity in Huntingtons disease specific clinics
Implementing the findings of the MemoryCare project on acute wards	Implementing the findings of the MemoryCare project on acute wards via experience based co-design: a feasibility study
Dermatology	
BADBIR	British Association of Dermatologists Biologic Interventions Register
Bio-markers of systemic treatment outcomes in Psoriasis	A multicentre, prospective, cohort study to establish clinically relevant pharmacogenetic markers of systemic treatment outcomes in patients with severe psoriasis
SCRIPT: Skin Change Risk In Patients after Transplant	Elucidating the transformational role of β human papillomavirus early region genes in skin of organ transplant recipients and healthy individuals.
Function of novel lipids in skin disease	Function of novel lipids in skin disease
ALPHA.	Comparison of Alitretinoin with PUVA as the first line treatment in patients with severe chronic hand eczema
Lymres	Analysis of genes and their functions in patients with primary lymphoedema
Study of rare cutaneous lichenoid , alopecic and scarring variants	Genotype-phenotype correlation in rare lichenoid and scarring dermatoses and rare alopecias
Comparison of the paper and electronic versions of the DLQI and PASI	Comparison of the paper-based and web-based application versions of the Dermatology Life Quality Index [DLQI] and Psoriasis Area and Severity [PASI] Index
APRICOT_V1	Treatment of Pustular Psoriasis with the IL-1 receptor antagonist anakinra: a randomised, placebo controlled trial and associated mechanistic studies. (APRICOT - Anakinra for Pustular psoriasis: Response in a Controlled Trial)

Hidradenitis Suppurativa long term outcomes following surgery	A feasibility study to locate and recruit patients who underwent surgery for Hidradenitis Suppurativa between 1974- 1991 and assess their long term outcomes
PLUM	Pustular psoriasis: eLucidating Underlying Mechanisms
Parafricta bootees vs UK standard care to prevent heel pressure ulcers	Parafricta bootees compared to UK standard care to prevent heel pressure ulcers: a multicentre pragmatic randomised controlled trial with blinded assessment at three days and fourteen days
Vismodegib resistance in basal cell carcinoma	Defining cell-signalling pathways in vismodegib treated basal cell carcinoma
Diabetes	
DRN184 T cell studies in Type 1 diabetes	T cell studies in type 1 diabetes
ISTID	Immune cell studies in Type 1 Diabetes
DRN 552 (Incident and high risk type 1 diabetes cohort – ADDRESS-2)	An incident and high risk type 1 diabetes research cohort - After Diagnosis Diabetes REsearch Support System-2 (ADDRESS-2)
Peptidia Lymph Node Monitor	A study to optimise methods of monitoring the immune response to Peptide Immunotherapy in Type 1 diabetes
The EDDY Study	Early detection of type 1 diabetes in youth - a feasibility study
DRN 797 (Identifying genetic predictors of transplanted pancreas function)	Determining genetic factors that can predict the loss of transplanted pancreas function
EE-ASI-1	Enhanced Epidermal Antigen Specific Immunotherapy trial -1 (EE-ASI-1): A Phase 1a study of gold nanoparticles administered intradermally by microneedles to deliver immunotherapy with a proinsulin derived peptide in Type 1 diabetes.
StartRight Study	StartRight – Getting the right classification and treatment from diagnosis of diabetes
DRN079 (SIRS)	Study of the genetics of Severe Insulin Resistance.
Bariatric surgery and incretin hormones	Incretin hormones, obesity and impaired glucose homeostasis: Bariatric surgery as a tool to study the role of incretin hormones in obesity and associated metabolic dysfunction.
TriMaster v1	TriMaster: Randomised Double-Blind Crossover study of a DPP4 inhibitor, SGLT2 inhibitor and thiazolidinedione as third line therapy in patients with type 2 diabetes who have suboptimal glycaemic control on dual therapy with metformin and a sulphonylurea
Phenotyping the Brecon Cohort: A Feasibility Study	Phenotyping the Brecon Cohort of childhood-onset Type 1 Diabetes to identify those at risk of adverse long-term outcomes who may in future merit immunotherapeutic intervention at diagnosis: a feasibility study
Association of fitness and physical stress with metabolic surgery	Assessment of functional capacity and its association to perioperative stress evaluated via glycaemic and cardiovascular variability – a pilot study
ADDRESS C-Peptide	ADDRESS C-Peptide: Validation and assessment of urine C-peptide to creatinine ratio as a measure of beta cell function in a multi-ethnic new-onset type 1 diabetes cohort
Ear, nose and throat	
Improving clinical practice for babies with hearing loss	Improving clinical practice for babies with hearing loss

Analysis Methods 1 - Nasal Mucus	Qualitative and Chemical Analysis of Nasal Mucus
Communicate Now Communicate Well	'Communicate Now Communicate Well' A pilot research study into the provision of on-line BSL interpretation for profoundly deaf people and the effectiveness of current provision of hearing equipment to patients with hearing loss.
Gastroenterology	
Genomic analysis of Helicobacter pylori and the upper gastrointestinal microbiome	Identifying Helicobacter pylori and microorganisms of the upper gastrointestinal microbiome that cause gastric cancer using 16S rRNA gene sequencing and whole genome sequencing technology
SPARE	A prospective randomized controlled trial comparing infliximab and anti-TNF combination therapy to anti-TNF monotherapy and infliximab monotherapy in Crohn's disease patients in sustained steroid-free remission on combination therapy (SPARE)
Predicting serious drug side effects in gastroenterology	Predicting serious drug side effects in gastroenterology
The reliability and validity of digital rectal examination in males	Determining the validity and inter-rater reliability of Digital Rectal Examination for the assessment of pelvic floor muscle strength in males
Genetics	
EMBRACE	Epidemiological study of BRCA1 and BRCA2 mutation carriers
Molecular Genetics of Adverse Drug Reactions (MOLGEN)	Molecular genetics of adverse drug reactions: from candidate genes to genome wide association studies
Genetic mechanisms in polyposis of the bowel	Genetic mechanisms in polyposis of the bowel
CaPP3	A randomised double blind dose non-inferiority trial of a daily dose of 600mg versus 300mg versus 100mg of enteric coated aspirin as a cancer preventive in carriers of a germline pathological mismatch repair gene defect, Lynch Syndrome. Project 3 in the Cancer Prevention Programme (CaPP3).
Evaluating exome sequencing as a diagnostic service for NHS patients	Studying the Implementation of Genomics in Wales (SIGNAL): Evaluating exome sequencing as a diagnostic service for NHS patients
Experiences of People with Copy Number Variants	Experiences of People with Copy Number Variants
GENPROS	GENPROS - Analysing outcomes after prostate cancer diagnosis and treatment in carriers of rare germline mutations in cancer predisposition genes
NIHR BioResource - Rare Diseases	National Institute for Health Research BioResource - Rare Diseases
Molecular genetic analysis of duodenal polyposis in FAP and MAP	Molecular genetic analysis of duodenal polyposis in the inherited colorectal adenoma and cancer predisposition syndromes (Familial Adenomatous Polyposis and MUTYH-Associated Polyposis)
IMAGINE.	Intellectual Disability and Mental Health: Assessing Genomic Impact on Neurodevelopment.
Genes and the Kidney in Tuberous Sclerosis	A Study of the Natural History of Renal Disease in TSC2/PKD1 Contiguous Gene Deletion Syndrome.
Investigating Hereditary Cancer Predisposition - IHCAP	Investigating Hereditary Cancer Predisposition - a combined genomics approach

HumGenDis	Molecular pathology of human genetic disease
NIPSIGEN - Clinical translation of NIPD for single gene disorders.	Translation of non-invasive prenatal diagnosis for single gene disorders into a clinical setting.(NIPSIGEN)
Genetic Disorders of Human Neurological and Immune Function	Genetic Disorders of Human Neurological and Immune Function
Understanding the conditions of the RAS-MAPK pathway: version 1	Defining the clinical phenotypes associated with mutations causing dysfunction of the RAS-MAPK pathway
A Prospective Study of Duodenal Disease in MAP	A prospective Europe-wide Study of Duodenal Disease in MUTYH-Associated Adenomatous Polyposis (MAP)
Professional decision making around next generation clinical genetics	Professional decision making around next generation clinical genetics
Neurological Disease Severity Assessment Study	Neurological Disease Severity Assessment Study
EXE-T1D - EXtremely Early-onset Type 1 Diabetes	Understanding beta-cell destruction through the study of EXtremely Early-onset Type 1 Diabetes (A Musketeers' Memorandum study)
IFNopathy natural history study	A prospective natural history study to enhance understanding of the phenotypes associated with a type I interferonopathies
Health Status and Quality of Life in Congenital Agammaglob	Investigating the Health Status and Quality of Life of Patients with Congenital Agammaglobulinemia in the United Kingdom
Framing of decision-making in predictive and prenatal genetic tests	Framing the trajectories of decision-making in the context of predictive and prenatal genetic and genomic tests
Biomarkers Of Lynch syndrome Tumours (BOLT)	Biomarkers Of Lynch-syndrome Tumours (BOLT)
PAGE (Prenatal Assessment of Genomes and Exomes)	PAGE (Prenatal Assessment of Genomes and Exomes) study
Haematology	
UKAITPR	United Kingdom Adult Idiopathic Thrombocytopenic Purpura (ITP) Registry: An Investigation of Disease Progression, Treatment Effectiveness, and Co-morbid Conditions
DVT and its effect on clot microstructure	An Investigation into whether the fibrin clot microstructure formed in patients diagnosed with deep vein thrombosis (DVT) is abnormal using Gel Point and fractal analysis
Platelet & microparticle PL in thrombotic and bleeding disorders	A pilot, exploratory study to investigate platelet and microparticle phospholipids in thrombotic and bleeding disorders
UK - EHL Outcome Registry	Evaluation of Real World Outcomes with Extended half-Life Concentrates for Routine Clinical Use in Haemophilia A and B: UK-EHL Outcome Registry
UK TTP Registry	United Kingdom Thrombotic Thrombocytopenic Purpura Registry: A prospective study of Thrombotic Thrombocytopenic Purpura in the UK
Genotyping and platelet phenotyping (GAPP)	Mild bleeding disorders caused by platelet defects

FLIGHT Study	A multicentre randomised trial of First Line treatment pathways for newly diagnosed Immune Thrombocytopenia: Standard steroid treatment versus combined steroid and mycophenolate.
Health services and delivery research	
DVD or telephone call to alleviate anxiety prior MRI	A pilot single-centre single-blinded randomised controlled trial study to compare the use of video demonstration or telephone interview verses routine intervention to alleviate anxiety in patients prior to MRI
Caring for people who have dementia in Community Hospitals	Caring for people who have dementia in Community Hospitals: A longitudinal ethnographic study of healthcare workers' everyday decision-making.
G-PATH SUPPORT:Gastrostomy feeding and psychosocial support	How do different neurodisability services meet the psychosocial support needs of children/young people with feeding disabilities and their families? A national survey and case study approach to mapping and costing service models, care pathways and the child and family experience.
KIT Agents	Getting the most out of knowledge and innovation transfer (KIT) "agents" in healthcare
Care Pathway Design: Have we got it right?	Design of Pathways: A feasibility study to explore and compare the utility of pathway improvement technologies
Ethnography of 'Primary Care Sensitive' Ambulance Contacts	An Ethnographic Study of Patient and Carer Interactions with Ambulance Services for 'Primary Care Sensitive' Problems
EDARA	An Evaluation of Alcohol Intoxication Management Services (AIMS): Implications for Service Delivery, Patient Benefit and Harm Reduction
Organ Donation Study	'Family attitudes, actions, decisions and experiences following implementation of deemed consent and the Human Transplantation Act (Wales).'
Health Precinct evaluation	Evaluating the impact of a joint social care and NHS initiative to promote social participation and patient activation for older people in North Wales
CARIAD	CARer-ADministration of as-needed subcutaneous medication for breakthrough symptoms in homebased dying patients: a UK study.
International Impact of TALK	International impact of TALK©: a simple and practical approach to multi-professional structured feedback and debriefing, to be used after unplanned learning events in clinical environments.
PhRASE	Prehospital Recognition and Antibiotics for 999 patients with Sepsis (PhRASE): a feasibility study
Welsh Community Care Information System: Realistic evaluation research	Welsh Community Care Information System: Realistic evaluation research
Hepatology	
PBC Genetics Study	Investigation of the Genetic and Molecular Pathogenesis of Primary Biliary Cirrhosis
UK-PSC	A UK Collaborative Study to Determine the Genetic Basis of Primary Sclerosing Cholangitis (UK-PSC)
HCV Research UK	Host and viral factors associated with outcomes of infection with hepatitis C virus
Albumin To prevent Infection in chronic liveR failurE (ATTIRE)	Albumin To prevent Infection in chronic liveR failurE (ATTIRE)
The UK-PBC Nested Cohort Study (version 1)	Stratified Medicine in Primary Biliary Cirrhosis (PBC): Understanding Disease Mechanisms and Targeting Therapies - The UK-PBC Nested Cohort Study

Research Directory – September 2018

Lymphocytes in liver disease and hepatocellular carcinoma development	The role of lymphocytes in inflammatory liver disease and hepatocellular carcinoma tumorigenesis
STOP-HCV-1 version 1.0	Stratified Treatment Optimisation for HCV-1 (STOPHCV-1)
Infectious diseases and microbiology	
DESEPTiW	Defining Sepsis on the Wards: point of prevalence study
PRINCESS - Probiotics to Reduce Infections iN CarE home reSidentS	A double-blind placebo controlled trial to evaluate the efficacy of probiotics (Lactobacillus rhamnosus, LGG and Bifidobacterium animalis subsp. lactis, BB-12) in reducing antibiotic administration for infection in care home residents.
EASI-SWITCH v1.0	Early switch to oral antibiotic therapy in patients with low risk neutropenic sepsis.
AMR bacteria in diabetic foot ulcers	A pilot study to investigate the association between antibiotic use and incidence of antibiotic-resistant bacteria in DFU
Prion Surveillance in Primary Immunodeficiency	Surveillance for asymptomatic carriage of abnormal prions in primary immunodeficiency patients exposed to UK sourced immunoglobulin
Innate-like T cells in sepsis	Innate-like T cells in sepsis (ILTIS): Implications for early diagnosis and rescue of immunosuppression
Safetxt: a randomised controlled trial of a safer sex intervention	Safetxt: A randomised controlled trial of an intervention delivered by mobile phone messaging to reduce sexually transmitted infections (STI) by increasing sexual health precaution behaviours in young people
Mobile phones as fomites for the transmission of ARBs in hospitals	Mobile phones as fomites for the transmission of antibiotic resistant bacteria in hospitals
MYCO WELL D-ONE	MYCO WELL D-ONE: CAN A NEW RAPID TEST TO DETECT UREAPLASMA AND MYCOPLASMA IN CLINICAL SAMPLES.
Injuries and emergencies	
CRASH-3	Tranexamic Acid for the Treatment of Significant Traumatic Brain Injury: An International, Randomised, Double Blind, Placebo Controlled Trial.
BURN1	Study of Gel Point and Fractal Analysis in Burns
Haemorrhage Alleviation with Tranexamic Acid [HALT-IT]	Tranexamic Acid for the Treatment of Gastrointestinal Haemorrhage: An International Randomised, Double Blind Placebo Controlled Trial
A study to refine the CAR burns scales	A study to refine PROMs that explore people's experiences of living with a burn injury
Feasibility study evaluating a prognostic model for blunt chest trauma	A multi-centre randomised feasibility study evaluating the impact of a prognostic model for management of blunt chest wall trauma patients. STUMBL Trial
DRAFFT 2 - Distal Radius Acute Fracture Fixation Trial 2	DRAFFT 2: Distal Radius Acute Fracture Fixation Trial - A Randomised Controlled Trial of Manipulation and surgical fixation with K-wires versus Manipulation and Casting in the Treatment of Adult Patients with a Dorsally Displaced Fracture of the Distal Radius
Core outcomes for burn care research COSB version 1.0	Optimising evidence-based decision-making for patients with Burns by the development of a Core Outcome Set and the identification of outcome measurement tools (COSB).
SECURE - A survey of the Safety of Emergency Care in UK EDs	SECURE Study- A Multicentre Survey of the Safety of Emergency Care in UK Emergency Departments

World Hip Trauma Evaluation (WHiTE Study)	World Hip Trauma Evaluation: A Comprehensive Cohort Study of Patients with Fracture of the Proximal Femur. The WHiTE Study
GPs in EDs: Realist evaluation of GP-ED models	A realist evaluation of effectiveness, safety, patient experience and system implications of different models of using GPs in or alongside Emergency Departments
PRESTO (Treatment of stable thoracolumbar fractures: feasibility)	Surgical fixation versus non-operative management for patients with stable thoracolumbar fractures: a feasibility study
Identification of Novel Psychoactive Substances (IONA)	Identification and characterization of the clinical toxicology of novel psychoactive substances (NPS) by laboratory analysis of biological samples from recreational drug users.
Rib Injury Outcomes Study (RIOS) V.1	Prospective mixed methods observational study of patient reported outcomes and health related quality of life after blunt thoracic injury
Mental health	
NCISH	National Confidential Inquiry into Suicide and Homicide by People with Mental Illness
Molecular Genetic Investigation	Molecular genetic investigation of bipolar disorder and related mood disorders
Linking Cognition and Genetics in Schizophrenia and Bipolar Disorder.	Genetic susceptibility to cognitive deficits across the schizophrenia / bipolar disorder diagnostic divide
PTSD	Establishment of an all-Wales cohort of patients with Post-Traumatic Stress Disorder (PTSD) for future mental health research.
Temporal Aspects of Communication in Autism in/out of Music Therapy	Evaluating Temporal Aspects of Communication in Autistic Spectrum Disorders with and without Music Interaction Therapy Support
Hallucinations and bilingualism	Auditory-verbal hallucinations in Welsh-English bilingual patients with psychosis
UMAA-LD	Using Mindfulness for Anger and Aggressive behaviour-with people with Learning Disabilities
The Adult Autism Spectrum Cohort - UK	Autism Conditions in Adulthood - Learning about the lives of adults on the autism spectrum and their relatives
National Centre for Mental Health (NCMH)	National Centre for Mental Health (NCMH)
The mATCH study	People with AuTism detained within hospitals: defining the population, understanding aetiology and improving Care patHways (The mATCH study).
SWISH	SWISH: Social Work Intervention following Self Harm – Feasibility of replication of a successful intervention for people admitted to hospital
CHERISH	Understanding suicide clusters through exploring self-harm behaviours
Groups for alcohol-misusing short-term prisoners (GASP)	Early intervention to engage alcohol and other substance misusing short term prisoners in appropriate health service use
Study of ADHD and Mood version 1	Chronic irritability in ADHD: examining clinical and genetic links with depression
Binaural Beats in Autism	Binaural Beats Perception in Autism: A Pilot Study
Experience of receiving a mental health diagnosis.	The experience of receiving and mental health diagnosis: self-perception and its perceived impact on recovery.
GMI_ALC	GMI_ALC: Developing a teacher training programme for a Group Motivational Interviewing intervention to prevent alcohol misuse in secondary schools

MBT for Antisocial Personality Disorder	Mentalization Based Therapy (MBT) for Antisocial Personality Disorder: A Pilot Randomised Controlled Trial.
SenITA	A pragmatic Randomised Controlled Trial of Sensory Integration Therapy versus usual care for sensory processing difficulties in Autism Spectrum Disorder in children: impact on behavioural difficulties, adaptive skills and socialisation
PALACES	PALACES - Parenting for Autism, Language, And Communication Evaluation Study
3MDR for Treatment Resistant PTSD in Military Veterans	Phase II Randomised Controlled Trial of 3MDR for Treatment Resistant Post Traumatic Stress Disorder (PTSD) in Military Veterans
RAPID	Pragmatic RAndomised controlled trial of a Trauma-Focused Guided Self Help Programme versus InDividual Trauma-Focused Cognitive Behavioural Therapy for Post-Traumatic Stress Disorder
DISSECT Study	Dementia Improving Staff Stress and Satisfaction - Evaluation by Cluster Trial
Mind the Gap! The eating disorder primary-secondary care interface	Mind the Gap! An examination of the interface between primary and secondary healthcare for eating disorders
Suicide in the Criminal Justice System	Managing the risk of self-inflicted death to support a psychologically safe and rehabilitative criminal justice pathway
Evaluation of a Group Programme for Women with Complex Trauma	Evaluation of a 12-session group programme developed to promote stabilization, processing and integration for women presenting with complex trauma arising from child sexual abuse.
Self-HARm provision in Emergency Services (SHARES Study)	Children's and young people's experience of short-term management and prevention provision following presentation for self-harm: Systematic review and qualitative study
MANIFeST- Maintaining child and family safety	MANIFeST- Maintaining child and family safety, when a parent has a mental health problem: a Health Visitors-led participatory project in Wales
Metabolic and endocrine disorders	
Determinants of Graves' Disease	Study of the immunological and genetic determinants of Graves' Disease and Graves Eye Disease
Extracellular vesicle transport in the circulation	Extracellular vesicle transport in the circulation - a missing link between adipocytes and accelerated vascular dysfunction.
Oxytocin in CDI	Emotion recognition and oxytocin concentrations in cranial diabetes insipidus
GENTHYR	GENETICS OF THYROID HORMONE REPLACEMENT STUDY
Effects of weight loss on circulating extracellular vesicles. V1.	Effects on multidisciplinary weight loss programme on circulating extracellular vesicles and inflammation in severely overweight patients
AIP	Genetics of Endocrine tumours
Genetics of Obesity	The genetic basis of severe childhood obesity
Musculoskeletal disorders	
Pharmacogenetics of Statin-Induced Muscle Toxicity	Pharmacogenetics of Statin-Induced Muscle Toxicity: Exploration Using the UK General Practice Research Database
Investigating genes in patients with polymyositis and dermatomyositis	Identification of disease susceptibility genes associated with development and clinical characteristics of primary inflammatory muscle diseases, PM, DM and IBM

Toxicity from biologic therapy (BSRBR)	Prospective observational study of the long term hazards of biologic therapy in rheumatoid arthritis
Implementation of TRAK intervention to enable eRehab	Implementation and evaluation of TRAK, a web-based approach to support self-management rehabilitation of knee conditions
The Use of Rapid Prototyping Jigs in the Planning of Knee Osteotomies	The Use of Rapid Prototyping Jigs in the Planning of Knee Osteotomies
The IMPP study for hip and knee patients	Improving access to care and treatment for patients with hip and knee pain at the primary/secondary care interface
STRAP version 1	Stratification of Biologic Therapies for RA by Pathobiology (STRAP): A randomised, open-labelled biopsy driven stratification trial in DMARD inadequate responder patients randomised to Etanercept, Tocilizumab or Rituximab.
TRAIN PIP	TRAINing Physio in the Pocket™(PiP) technology for personalised rehabilitation in back pain
Do chondrocytes differ in ankle, hip and knee cartilage?	Do the intrinsic properties of the chondrocytes account for the difference in prevalence of OA in the Hip, Knee and Ankle?
TARVA: Total Ankle Replacement versus Arthrodesis Trial	A randomised, multicentre, non-blinded, prospective, parallel group trial of total ankle replacement (TAR) versus arthrodesis, in the treatment of patients with end stage ankle osteoarthritis, comparing clinical outcomes and cost-effectiveness.
PLACEMENT	Perineural Local Anaesthetic Catheter after Major lower limb amputation Trial (PLACEMENT)
The ACL SNNAP Trial: ACL Surgery Necessity in Non Acute Patients.	The ACL SNNAP Trial: ACL Surgery Necessity in Non Acute Patients. Comparison of the clinical and cost effectiveness of two management strategies for non-acute Anterior Cruciate Ligament (ACL) injury: Rehabilitation versus surgical Reconstruction.
The Genetics of Ankylosing Spondylitis	The Genetics of Ankylosing Spondylitis
3D Motion Analysis	Arthritis Research UK Biomechanics and Bioengineering Center - Motion analysis assessment of people with and without joint problems
Imaging neural responses	MRI of joints and brain in people with joint problems
Fluoroscopic imaging of joints	Fluoroscopic imaging of joints
ARUK BBC Clinical Samples	Arthritis Research UK Biomechanics and Bioengineering Centre - Determining how interactions between biomechanics, inflammation and pain influence joint disease
National Repository	Investigation of clinical, serological and genetic factors in the development of arthritis and rheumatic diseases?
KBE CAD/CAM Special Seat Project	A Knowledge-based Engineering Technique for Special Seating and Wheelchair Systems Design and Manufacture
Biological analysis of adverse reactions to Metal-on-Metal hip implants	Investigate biological mechanisms and biomarkers underlying early events in adverse reactions to Metal-on-Metal hip implants.
Inflammation and Immune Regulation in Early Inflammatory Arthritis	Inflammation and Immune Regulation in Early Inflammatory Arthritis
CREATE	Cardiff Regional Experimental Arthritis Treatment and Evaluation Centre
STAR trial	The STAR trial: Evaluation of a care pathway for patients with long-term pain after knee replacement
Achilles Tendinopathy Management (ATM)	Achilles Tendinopathy Management (ATM): A multicentre placebo controlled randomised controlled trial comparing

Research Directory – September 2018

	Platelet Rich Plasma (PRP) to placebo (imitation) injection in adults with Achilles tendon pain
Objective monitoring of OA rehabilitation using body worn sensors	Objective monitoring of rehabilitation exercises prescribed following total knee replacement surgery using body worn sensors: Motion Lab Setting
Understanding Sciatica	Understanding illness beliefs and exercise treatment beliefs in a lumbar radicular pain population
REACTS: Return to Employment After Carpal Tunnel Release Surgery	Return to employment after carpal tunnel release surgery (REACTS): A prospective observational cohort study with a nested qualitative interview study
LBP Management Patient Decision Aid	Developing a Low Back Pain (with or without leg symptoms) Management Patient Decision Aid: A Pilot Study
BILAG Biologics Prospective Cohort	BILAG Biologics Prospective Cohort: The Use of Novel Biological Therapies in the Treatment of Systemic Lupus Erythematosus (SLE)
FOMaXS	Finding optimal management for patients with Axial Spondyloarthritis
GCA Consortium	Clinical and immunogenetic characterization of Giant Cell Arteritis (GCA) and polymyalgia rheumatica (PMR)
TOPaZ study	Treatment of Osteogenesis Imperfecta with Parathyroid hormone and Zoledronic acid
Neurological disorders	
Adult neural stem cells	Study to obtain adult neural stem cells from patients undergoing neurosurgery
Move Wales v1	Move Wales: Welsh Movement Disorder Research Network
FLAME	A randomised controlled, double blind trial investigating the efficacy of fluoxetine treatment in improving memory and learning impairments in patients with mesial temporal lobe epilepsy: Fluoxetine, Learning and Memory in Epilepsy (FLAME) Protocol
Treatment side effects in adults with learning disability and epilepsy	Identifying treatment Side effects in adults with an Intellectual Disability and Epilepsy: Development of a PatientReported Outcome Measure (PROM) for identification of AntiEpileptic Drug (AED) side effects (SIDEPRO)
Cerebrovascular function in MS	Characterising Cerebrovascular Function in Multiple Sclerosis using fMRI
A study of clinical and imaging correlates of ability in MS v1	A detailed study of clinical and imaging correlates of ability in Multiple Sclerosis
Comparison of quantitative fMRI with FDG-PET in epilepsy	Investigating a non-invasive MRI measurement of cerebral metabolism – A comparison of quantitative fMRI with FDG-PET in pre-surgical evaluation of epilepsy
Transient Ischaemic Attack 999 Emergency Referral (TIER)	Transient Ischaemic Attack 999 Emergency Referral (TIER): feasibility trial
CogTrainHD	Exploring computerised cognitive training as a therapeutic intervention for people with Huntington's disease.
The genetic analysis of multiple sclerosis	The genetic analysis of multiple sclerosis
UK MS Register	The UK Multiple Sclerosis Register
International Guillain–Barré Syndrome Outcome Study	Clinical and biological determinants of disease course in Guillain-Barré syndrome: a prospective UK-wide observational study interfacing with the International Guillain-Barré syndrome Outcome Study -IGOS.
An Intergrated Analysis Of Mammillary Body Function	An Intergrated Analysis Of Mammillary Body Function

An epidemiological study of Multiple Sclerosis and other neuroinflammatory demyelinating disorders	An epidemiological study of Multiple Sclerosis and other neuroinflammatory demyelinating disorders in South Wales
Topical Gabapentin for neuropathic pain	To Evaluate Topical Gabapentin Gel for the Treatment of Neuropathic Pain
Emotion Regulation and Brain Injury - version 1	Emotion Regulation and Brain Injury: An investigation into a group psycho-education intervention
Biology of Juvenile Myoclonic Epilepsy	Biology of Juvenile Myoclonic Epilepsy
Tonic 2 Phase 4	Trajectories of Outcome in Neurological Conditions: Quality of Life (QoL) and neurological disease
LEAP-MS	Lifestyle, exercise and activity package for people living with multiple sclerosis (LEAP-MS)
Ophthalmology	
Longitudinal changes in visual field sensitivity	Measuring changes over time in the retina in eye disease
The assessment of eye movements in children with delayed reading (V1)	The assessment of eye movements in children with delayed reading (V1)
Multi-dimensional stimuli for clinical perimetry	Functional mapping of the biological changes in the retina in glaucoma
Living with Leber hereditary optic neuropathy	An ethnographic study of Leber hereditary optic neuropathy: exploring the experiences and perceptions of children, young adults and their families.
Effect of ocular diseases on sleep and circadian rhythm	Assessment of the impact of different eye diseases on sleep, sleep/wake timing and circadian entrainment with genotyping
The RP Genome Project	The UK Inherited Retinal Disease Consortium RP Genome Project
FASBAT	Observing Fibrosis, Macular Atrophy and Sub retinal Highly Reflective Material - Before and After Intervention with AntiVEGF Treatment: An extension to the EDNA Study
The TRIAGE Study: Identifying Non-Responders to Glaucoma Eye Drops	Feasibility and Acceptability of a new Clinical Pathway for the Identification of Non-Responders to Glaucoma Eye Drops (the TRIAGE study)
KERALINK	Corneal cross-linking versus standard care in children with keratoconus, a randomised, multicentre, observer-masked trial of efficacy and safety
Changes in the visual cortex in glaucoma	Changes in the visual cortex in glaucoma and their role in visual recovery: an fMRI-based study.
Adjunctive Steroid Combination in Ocular Trauma (ASCOT) Study	A phase 3 multi-centre double-masked randomised controlled trial of adjunctive intraocular and periocular steroid (triamcinolone acetonide) versus standard treatment in eyes undergoing vitreoretinal surgery for open globe trauma; the adjunctive steroid combination in ocular trauma (ASCOT) trial
Oral and dental health	
Oral progenitor cells for disease treatment	Oral Mucosa Lamina Propria-Progenitor Cells as a Potential Cell-Based Treatment for Disease
BRIGHT Trial	BRIGHT Trial: Brushing RemInder 4 Good oral HealTh: the clinical and cost-effectiveness of a Short Messaging Service behaviour change programme to improve the oral health of young people living in deprived areas

Determining adolescent/parent priorities in hypodontia	Determining adolescent patient and parent priorities in decision-making for treatment of hypodontia (developmentally missing teeth)
Other	
Identifying ideas to improve out of hours palliative care safety	Identifying ideas to improve the safety and quality of palliative care services for patients in the out of hours primary care setting
Patient's experience of new approach to gluten free food provision	A qualitative study on patient's experience of a new approach to the provision of gluten free foods via pre-paid subsidy card.
Primary Care	
Primary care screening for PAD in at risk groups	Can the introduction of rapid and automatic Ankle Brachial Pressure and Pulse Volume measuring device into General Practice identify the presence or absence of Peripheral Arterial Disease in cardiovascular risk groups?
BARACK D	Benefits of Aldosterone Receptor Antagonism in Chronic Kidney Disease (BARACK D) Trial: a prospective randomised open blinded endpoint trial to determine the effect of aldosterone receptor antagonism on mortality and cardiovascular outcomes in patients with stage 3b chronic kidney disease.
ARRISA-UK	At-Risk Registers Integrated into primary care to Stop Asthma crises in the UK (ARRISA-UK): A pragmatic cluster randomised trial with nested economic and process evaluations examining the effects of integrating at-risk asthma registers into primary care with internet-based training and support.
FLU-CATs : Evaluation and refinement of pandemic influenza community assessment tools	Real time refinement and validation of criteria and tools used in primary care to aid hospital referral decisions for patients of all ages in the event of surge during an influenza pandemic.
'Fit for List?' Optimising Wellbeing, Fitness and Outcomes of Cancer Patients	'Fit for List?' Optimising Wellbeing, Fitness and Outcomes of Cancer Patients
CAP Trial - Case Note Review Study (CNRS)	CAP Trial - Case Note Review Study (CNRS) - Diagnosis and management of prostate disease in the UK.
Evaluating protocols for identifying and managing patients with FH	Evaluating alternative protocols for identifying and managing patients with familial hypercholesterolaemia: costeffectiveness analysis with qualitative study
ARTIC PC	Antibiotics for lower Respiratory Tract Infection in Children presenting in Primary Care
PRIMUS	Primary care Management of lower Urinary tract Symptoms in men: Development and validation of a diagnostic and decision-making aid.
ABACus 3 - Awareness and Beliefs About Cancer phase 3	AWARENESS AND BELIEFS ABOUT CANCER PHASE 3 (ABACUS 3): RANDOMISED CONTROLLED TRIAL OF THE HEALTH CHECK INTERVENTION TO IMPROVE CANCER SYMPTOM AWARENESS AND HELP-SEEKING AMONG PEOPLE LIVING IN SOCIOECONOMICALLY DEPRIVED COMMUNITIES
COLlectionN Devices to reduce Urine ConTamination (CONDUCT)	The effectiveness and acceptability of two urine collection devices that aim to reduce contaminated urine samples in women presenting with symptoms of urinary tract infection. A three arm trial in UK primary care.
CLASP-Internal Pilot and Randomised Controlled Trial	Cancer: Life Affirming Survivorship support in Primary care (CLASP) Programme-Internal Pilot and Randomised Controlled Trial
The Nuclear Community Charity Fund Chromosomal study	Cytogenetic assessment of British nuclear test veterans and their families.
Public health	

NAP SACC UK (Phase 1)	NAP SACC UK: A feasibility cluster randomised controlled trial in child care settings to increase physical activity and healthy eating in 2-4 year olds (Phase 1)
ABACus (Awareness and Beliefs About Cancer) Phase 2	Development and pilot evaluation of the Tenovus health check: a targeted cancer awareness intervention for people from deprived communities: Phase 2
The Wellbeing in Secondary Education (WISE) Study	A cluster randomised controlled trial of an intervention to improve the mental health support and training available to secondary school teachers – the WISE (Wellbeing in Secondary Education) project
Travel to Work Cluster RCT	The effectiveness and cost effectiveness of an employer-led intervention to increase walking during the daily commute: Cluster randomised controlled trial
HAI-Net Mortality review	HAI-Net mortality review validity and reproducibility study
STOP trial	A training and service intervention to Optimise Pharmacist-Based Treatment for Smoking Cessation: A cluster randomised controlled trial
Evaluating the UK 5 year AMR Strategy	Evaluating the Implementation of the UK Five Year Anti-Microbial Resistance Strategy, 2013 to 2018
Measuring ACEs in an offender population	Measuring the extent of Adverse Childhood Experiences (ACEs) in an offender population
(P-PLAC) Prescribing Lifestyle Adjustments for Cardiovascular Health	The efficacy of a prescription form designed to reduce health harming behaviours in the primary care setting
(S-PLAC) Prescribing Lifestyle Adjustments for Cardiovascular Health	The efficacy of a prescription form designed to reduce health harming behaviours in the secondary care setting (SPLAC)
Mining Cryptosporidium genomes	Improving Cryptosporidium diagnostics and understanding of transmission by mining Cryptosporidium genomes
Renal Disorders	
PEDAL	INTRA-DIALYTIC EXERCISE IN RENAL FAILURE
The acute inflammatory response post renal surgery	The role of phagocytic leukocytes, the vascular endothelium and inflammation following various renal surgical interventions
PD-CRAFT	A study of Clinical and Genetic Risk Factors for Encapsulating Peritoneal Sclerosis
Natural History Study of C3 Glomerulopathy	Natural History Study of C3 Glomerulopathy: Discovery of Histological Predictors of Outcome
Cholecalciferol in Patients on Dialysis - SIMPLIFIED	Survival Improvement with Cholecalciferol in Patients on Dialysis – The SIMPLIFIED Registry Trial
Microcirculatory function in peritoneal dialysis V1(1)	Microcirculatory function in peritoneal dialysis
Knowledge and experience of peritoneal dialysis-associated peritonitis	Knowledge, understanding and experiences of peritonitis amongst patients undertaking peritoneal dialysis and their families
RADAR	National Studies of Rare Kidney Diseases
DOPPS	Dialysis Outcomes and Practice Patterns Study
PERITPD (Patient immune responses to infection in Peritoneal Dialysis)	Improving patient outcomes from peritoneal dialysis related infections

LEUKPD (Leukocyte phenotype and function in Peritoneal Dialysis)	Time on Peritoneal Dialysis and peritonitis modulate the phenotype of peritoneal mononuclear leukocytes
NURTuRE-CKD	National Unified Renal Translational Research Enterprise - Chronic Kidney Disease
PAVE	Paclitaxel assisted balloon Angioplasty of Venous stenosis in haEmodialysis access: The PAVE trial. A multicentre double-blind randomised controlled trial in haemodialysis patients with a stenosis in a native arteriovenous fistula.
Validation of patient centric measures in urolithiasis	Health related Quality of life and patient preferences in urinary calculi: development and validation of patient centric measures
BioImpedance Spectroscopy to Maintain Renal Output: The BISTRO Trial	BioImpedance Spectroscopy to Maintain Renal Output: The BISTRO Trial
Prepare for Kidney Care	The Prepare Multi-Morbid Older People for End-stage Kidney Disease Trial
CMV immune responses (CMVIR)	Investigating the evolution and activation of cellular innate immunity during human cytomegalovirus (HCMV) infection
Reproductive health and childbirth	
STOPPIT-2	An open randomised trial of the Arabin pessary to prevent preterm birth in twin pregnancy, with health economics and acceptability – STOPPIT 2
C-STICH	The Cerclage Suture Type for an Insufficient Cervix and its effect on Health outcomes (C-STICH)
SAFE-Special non-invasive Advances in Foetal and neonatal Evaluation	Continuation of SAFE (Incorporating RAPID)
The Cleft Collective Cohort Studies	The Cleft Collective Cohort Studies - A large DNA backed prospective resource for the study of the genetic and environmental determinants of cleft lip and/or palate and the long term outcomes in children with cleft lip and/or palate
Grown in Wales	The Grown in Wales Study: Developing a placentomic tool for characterising atypical pregnancies and predicting outcomes
PHOENIX Study	Pre-eclampsia in Hospital: Early Induction or Expectant Management
Adrenal and reproductive biology	Novel mechanisms in adrenal and reproductive biology (GOSH 05BC13)
PITCHES: Phase III trial of UDCA in ICP: V1	Phase III trial in Intrahepatic Cholestasis of Pregnancy (ICP) to Evaluate ursodeoxycholic acid (UDCA) in improving perinatal outcomes
QUIDS	Quantitative Fibronectin to help Decision-making in women with Symptoms of Preterm Labour - QUIDS
Characterising the Coagulopathy of Obstetric Haemorrhage - (OBS Plus)	Characterising the Coagulopathy of Obstetric Haemorrhage - (OBS Plus)
ANODE Trial	ANODE: a randomised controlled trial of prophylactic Antibiotics to investigate the prevention of infection following Operative vaginal Delivery
PEACOCK (PHOENIX-2) study	Prognostic indicators of severe disEase in women with late preterm pre-eClampsia tO guide deCision maKing on timing of delivery
PHOEBE	Mechanisms of action of intervention in the PHOENIX trial: in women with preterm pre-eclampsia; does planned delivery improve postpartum maternal cardiac function through attenuation of myocardial ischaemia at time of disease?
VESPA Study	Variations in the organisation of Early Pregnancy Assessment Units (EPAUs) in the UK and their effects on clinical, service and patient-centred outcomes (VESPA)

Effect of local anaesthesia at vaginal hysterectomy on post-op pain	Double blind randomised multicentre study to assess the effect of local anaesthesia during vaginal hysterectomy
Establishment of primary cell cultures	Establishment of primary cell cultures using biopsy samples of human endometrium as a model to investigate differentiation and preparation for implantation.
Identifying determinants in the development of endometrial pathology	Identifying determinants in the development of endometrial pathology.
Gabapentin for Pelvic Pain (GaP P 2)	GaPP 2: A multicentre randomised controlled trial of the efficacy and mechanism of action of gabapentin for the management of chronic pelvic pain in women
The FUTURE Study	Female Urgency, Trial of Urodynamics as Routine Evaluation (FUTURE study); a superiority randomised clinical trial to evaluate the effectiveness and cost effectiveness of invasive urodynamic investigations in management of women with refractory overactive bladder symptoms
Perinatal mental health: a mixed methods study	Perinatal mental health: a mixed methods study (MoMs)
QUIDS 2	Quantitative Fibronectin to help Decision-making in women with Symptoms of Preterm Labour - Comparison with Partosure and Actim Partus - QUIDS 2
PE-CAMP	Physical Exercise & Cardiovascular Adaptation Monitoring in Pregnancy ('PE-CAMP')
MifeMiso	A randomised placebo-controlled trial of mifepristone and misoprostol versus misoprostol alone in the medical management of missed miscarriage
Best Start - Weight Management During Pregnancy	Best Start - Weight Management During Pregnancy
Respiratory disorders	
LungCAST	Does smoking status after being diagnosed with lung cancer influence outcome? An observational cohort study.
Improving the housing stock in Anglesey and Gwynedd	Improving the Housing Stock in Anglesey and Gwynedd: A Health Economics Approach
Novel technologies for diagnosing and monitoring pulmonary diseases	The application of novel technologies to identify new biomarkers for diagnosing and monitoring pulmonary diseases.
EMBARC: European Bronchiectasis Registry	The EMBARC European Bronchiectasis Registry
Estimating the social costs of asthma	A validation of the health and social costs of asthma using questionnaire data
Experiences of Non-Invasive Ventilation (NIV) in older people	Experiences of Non-Invasive Ventilation (NIV) in older people with hypercapnic respiratory failure
Point of care testing in the diagnosis and management of COPD	Point of care testing in the diagnosis and management of chronic obstructive pulmonary disease
The microbial pathology of severe asthma	Heterogeneity of Asthma: a pilot study to investigate its microbiome and how it relates to asthma severity
BronchUK Study	Observational cohort and Biobank UK Study
Randomised Ambulatory Management of Primary Pneumothorax (RAMPP)	Randomised Ambulatory Management of Primary Pneumothorax (RAMPP).

UK Lung Volume Reduction - multicentre observational study	UK Lung Volume Reduction - multicentre observational study
Living with Cystic Fibrosis (v2)	Quality of life measurement in people with cystic fibrosis registered with the UK CF Registry
REDUCE Trial	A Randomised Controlled Trial Evaluating the Efficacy of Indwelling Pleural Catheters in Persistent Non-Malignant Symptomatic Pleural Effusions
TARGET Trial	Randomised controlled trial to compare the diagnostic yield of Positron Emission Tomography Computerised Tomography (PETCT) targeted pleural biopsy versus CT-guided pleural biopsy in suspected pleural malignancy.
Asthma/COPD III	An open study to measure inflammatory cells, mediators and biomarkers from blood and sputum from healthy volunteers and asthma patients and blood, sputum and urine from COPD patients in stable disease and during acute exacerbations
Idiopathic Pulmonary Fibrosis Job Exposures Study (IPF JES)	Idiopathic Pulmonary Fibrosis Job Exposures Study (IPF JES)
Calibration and Cross-Validation of Accelerometry in CF	Calibration and Cross-Validation of Accelerometry in youth and adults with Cystic Fibrosis
ASSESS-meso	A prospective observational cohort study collecting data on demographics, symptoms and biomarkers in people with mesothelioma that will provide a resource for future trials
Improving utilisation of pulmonary rehabilitation v1	Improving the utilisation of pulmonary rehabilitation through development of a toolkit for use by referring clinicians and enhancing the inclusivity of the pulmonary rehabilitation pathway
Social Care	
The protection and safeguarding of vulnerable older adults: a qualitative study of elder abuse services in Wales.	The proposed study draws on the knowledge and expertise of those organising, delivering elder abuse services (including social and criminal justice services) and on the experiences of service users. It is anticipated that the study findings will provide a useful resource for the future development of elder abuse services
Sexuality, Autism and Young People: Families Study (SAY Families)	Our focus for the proposed research is the family context: families are usually the main support for young people with high functioning autism/Asperger syndrome (HFA/AS) HFA/AS. We will examine parents' experience of supporting their offspring's developing sexuality, using methods developed by the research team in our previous study on mothers' views about supporting young people with intellectual disability.
Assessing the potential of restorative approaches in work with families	This research project will investigate the use of family-focused concepts and approaches in the Family First (FF) programme in Wales. The study will then proceed to explore the innovative use of Restorative Approaches (RA) as a framework for family- service provision in one local FF agency, and compare it's efficacy to other evidence based family-focused methods and practices.
The children of 'looked after' children: care outcomes and experiences	This research will review the international evidence on outcomes for the children of care-experienced parents. This will include analysis of patterns and correlations concerned with care-experienced parents, as well as evidence related to interventions designed to support such families. The issues will then be investigated within the Welsh context.
Self-harm, suicide ideation and suicidal behaviours in looked-after children and young people: Incidence, prevalence and prevention.	The study seeks to answer the following research questions: <ul style="list-style-type: none"> • What is the prevalence and incidence of self-harm, suicide ideation and suicidal behaviours in LACYP? • What are the preventative and risk factors that influence self-harm, suicide ideation and suicidal behaviours within the context of public care? • What are practitioners' and carers' experiences of assessing and intervening with, or caring for, LACYP who engage in self-harm, suicide ideation and suicidal behaviours? • What is the acceptability of a training programme for enhancing awareness, assessment and intervention when working with or caring for LACYP who engage in self-harm, suicide ideation and suicidal behaviours?
Improving the housing stock of Anglesey and Gwynedd: a health	Cold homes (particularly those below 16oC) substantially increase risk of respiratory and cardiovascular conditions. Approximately 40,000 more deaths occur in the UK during the coldest months of the year (December to March) compared to warmer

economics and behavioural psychology evaluation	months (June to September). It is estimated that at least £600 million is spent each year by the UK NHS treating ill health related directly to poor housing. A 2008 report by the Chartered Institute of Environmental Health estimated on average it costs £4,993 to remedy excess cold issues per household.
The development and evaluation of an online emotional wellbeing module in the Champions for Health programme to complement and enhance lifestyle improvements.	This proposal would develop and evaluate a new wellbeing module within an already existing online health improvement programme, 'Champions for Health'. To date the technical design and evaluation of the first phase of 'Champions for Health' has been under the aegis of one of the applicants, who is based in Public Health Wales. The other applicants will contribute mental health and computer-human interface expertise to ensure the academic and technical excellence of the project.
Caring for people who have dementia in Community Hospitals: A longitudinal ethnographic study of healthcare workers' everyday decision-making.	This research will explore and describe community hospital healthcare workers everyday decision-making in relation to people with dementia. By producing an account of practice in a community hospital, apparent influences on decision-making can be revealed. As the care of people with dementia often involves workers from various disciplinary backgrounds, this study intends to gather a wide range of perspectives with a view of developing a shared model of decision-making.
Identifying and responding to child neglect in schools	The Welsh Government has responded to the need to improve practice by commissioning a Child Neglect Project in conjunction with the voluntary sector. This project has identified the role of schools as being important for identifying and intervening in cases of neglect.
Improving quality of life after spinal cord injury: design and evaluation of an intervention	Previous research, including a systematic literature review by the PhD applicant has revealed that the quality of life among people with spinal cord injuries (SCI) who have left rehabilitation centres in Wales and across the UK can be very low and depression and anxiety are frequently high. Based on the literature and in response to communication with members of the Spinal Cord Injuries Association (SIA) and individuals with SCI, there appears to be a consensus that a peer support group could be beneficial to the quality of life of those with SCI and reduce social care needs.
Self-Harm wEb Portal Cymru (SHeP-Cymru)	This aim of this study is to develop an innovative web-based platform for self-harm research. Such a platform will allow participants both known and unknown to services to contribute to research in a safe and ethical manner. Consent will be sought from Welsh residents to link information gained via the web-portal with routinely collected data in the Secure Anonymised Information Linkage (SAIL) databank.
Keeping safe? An analysis of the outcomes of work with sexually exploited young people in Wales	The aim of this research is to explore the outcomes for children and young people 'at risk' of sexual exploitation, in order to meet vital gaps in knowledge on effective prevention, early intervention and work with young people experiencing this form of abuse.
Evaluating the impact of a joint social care and NHS initiative to promote social participation and patient activation for older people in North Wales	The aim is to explore "what works about the Health Precinct, for whom, why and in what circumstances?". The results of this analysis will have generalisability for similar programmes that seek to integrate social and health care services. In addition, we will evaluate how much social value is generated by the Health Precinct.
Creative Conversations': An exploratory study of an arts in health approach to embedding person-centred care and improving communication between care staff and people living with dementia	This research aims to develop and test a training workshop 'Creative Conversations' for care staff working with people living with dementia. It uses examples from the creative arts (such as poetry, music, and films) as a way of helping staff understand more about how people living with dementia feel and to teach staff new ways of communicating.
Social network analysis for modelling integrated social care services for older people with complex needs: a feasibility study recommended for funding by the Health and Care Research Wales Funding Board	This research will test the Social Network Analysis method to see how good it is at measuring the links between organisations providing social care to older people with complex needs in Wrexham Borough Council (WBC). We will collect data from all of the organisations providing social care to older people in WBC and add this to our model. We will ask them to tell us which of the organisations in WBC they have contact with.
Social exclusion and use of care services in Wales: experiences of people with cognitive impairment and dementia.	This project will look at what help people with dementia and people with memory problems need with everyday activities such as washing, dressing, and cooking; who helps them, and which services they use to help them at home.

The economics of third sector provision of support services for informal carers of people living with dementia and other cognitive conditions in Wales.	From a health economics perspective, the aim of this study is to explore the economic role of third sector organisations through reviews of the evidence, case studies of best practice and looking at the value for money provided by these services.
Talking Changes: Developing best practice in co-producing well-being outcomes with looked-after children in Wales	The aim of the project is not to produce a simplistic model of the outcomes to be measured with young people in care, but to develop a rich picture about what good practice is in this area, practical ways it can be supported, a deep understanding of the barriers to improving practice and how they can be overcome.
Stroke	
PASTA	Paramedic Acute Stroke Treatment Assessment
TOPSAT2	Treatment Of Poor-Grade Subarachnoid Haemorrhage Trial 2
ATTEST 2	Alteplase-Tenecteplase Trial Evaluation for Stroke Thrombolysis (ATTEST 2)
Characterizing Clot Microstructure in Atrial Fibrillation and Stroke	Characterisation of clotting characteristics in atrial fibrillation patients presenting with stroke and their response to anticoagulant treatment
STROke, Life and LeisurE Research Survey (STROLLERS)	STROke, Life and LeisurE Research Survey (STROLLERS)
SoSTART	Start or STop Anticoagulants Randomised Trial (SoSTART) after spontaneous intracranial haemorrhage
EoLCASS: End of Life Care in Acute Stroke Setting	A qualitative exploration of bereaved families' experiences of end of life care for people in the acute stroke ward and who have had a severe stroke.
COMPOSEd - Barriers to Effective Co-morbidity Management Post-Stroke	COMPOSEd – [Exploring the Barriers to Effective CO-morbidity Management POST-StrokE with a Focus on Hypertension and Diabetes]
Surgery	
The United Kingdom Aneurysm Growth Study	The United Kingdom Aneurysm Growth Study
Hartmann's procedure versus intersphincteric APE: a prospective study	Hartmann's type procedure versus intersphincteric APE in patients undergoing resection of rectal cancer in whom restoration of gastrointestinal continuity is not appropriate : a multi centre, prospective observational study
PUrE	The clinical and cost effectiveness of surgical interventions for stones in the lower kidney: The PUrE RCT Percutaneous Nephrolithotomy (PNL), Flexible Ureterorenoscopy (FURS) and Extracorporeal Lithotripsy (ESWL) for lower pole Kidney stones
PREVENTT	A randomised double-blind controlled phase III study to compare the efficacy and safety of intravenous ferric carboxymaltose with placebo in patients with anaemia undergoing major open abdominal surgery
INFORM - Surgery after Hip Infection Project	A multicentred randomised trial to compare 1-stage with 2-stage revision surgery for prosthetic hip joint infection
BASIL-2	Multi-centre randomised controlled trial to compare the clinical and cost-effectiveness of a 'vein bypass first' with a 'best endovascular first' revascularisation strategy for severe limb ischaemia due to infra-popliteal arterial disease: Bypass vs. Angioplasty in Severe Ischaemia of the Leg. The BASIL-2 trial
RESCUE-ASDH trial	Randomised Evaluation of Surgery with Craniectomy for patients Undergoing Evacuation of Acute Subdural Haematoma (RESCUE-ASDH)

BASIL-3	Multi-centre randomised controlled trial of clinical and cost-effectiveness of drug coated balloons, drug eluting stents and plain balloon angioplasty with bail-out bare metal stent revascularisation strategies for severe limb ischaemia due to atherosclerotic femoro-popliteal, with or without infra-popliteal involvement, peripheral arterial disease
STAR-TReC	Can we Save the rectum by watchful waiting or TransAnal surgery following (chemo)Radiotherapy versus Total mesorectal excision for early REctal Cancer?
Knee Replacement Bandaging Study (KReBS)	A Randomised Controlled Trial of the effect of a Two-layer Compression Bandage System on Knee Function following total knee arthroplasty
CReST2	CReST 2 - Colorectal Endoscopic Stenting Trial 2
C-GALL	A randomised controlled trial comparing laparoscopic cholecystectomy with observation/conservative management for preventing recurrent symptoms and complications in adults with uncomplicated symptomatic gallstones
IntAct- IFA to prevent anastomotic leak in rectal cancer surgery	IntAct: Intraoperative Fluorescence Angiography to Prevent Anastomotic Leak in Rectal Cancer Surgery
The CIPHER study	UK Cohort study to Investigate the prevention of Parastomal Hernia
MARI	Multicentre study investigating the effects of aneurysm repair surgery on renal function and acute kidney injury (AKI)
PPAC2: Packing of Perianal Abscess Cavities 2	The impact of postoperative Packing of Perianal Abscess Cavities: a multicentre randomised controlled trial
CLOSE-IT	Closure of ileostomy timing study
Dex - CSDH Trial	A randomised, double blind, placebo-controlled trial of a two-week course of dexamethasone for adult patients with a symptomatic chronic subdural haematoma (Dex-CSDH trial)

Commercial Research Register

Study Name

Cancer

Cancer - Breast

CANC - 3490 OLYMPIA	A randomised, double-blind, parallel group, placebo-controlled, multi-centre, Phase III study to assess the efficacy and safety of olaparib versus placebo as adjuvant treatment in patients with germline BRCA1/2 mutations and high risk HER2 negative breast cancer who have completed definitive local treatment and neoadjuvant or adjuvant chemotherapy
-------------------------------------	---

Cancer - Gynaecological

CANC 4403	An open label, single arm, multicenter study to assess the clinical effectiveness and safety of Lynparza (olaparib) capsules maintenance monotherapy in platinum sensitive relapsed BRCA mutated ovarian cancer patients who are in complete or partial response following platinum based chemotherapy (ORZORA)
---------------------------	---

Cancer - Haematological Oncology

NCRN443: PREAMBLE observational myeloma	PROSPECTIVE RESEARCH ASSESSMENT IN MULTIPLE MYELOMA: AN OBSERVATIONAL EVALUATION
NCRN525 - AZACITIDINE + BSC v PLACEBO + BSC in MDS	A PHASE 3, MULTICENTER, RANDOMIZED, DOUBLEBLIND STUDY TO COMPARE THE EFFICACY AND SAFETY OF ORAL AZACITIDINE PLUS BEST SUPPORTIVE CARE VERSUS PLACEBO PLUS BEST SUPPORTIVE CARE IN SUBJECTS WITH RED BLOOD CELL TRANSFUSION-DEPENDENT ANEMIA AND THROMBOCYTOPENIA DUE TO IPSS LOWER-RISK MYELODYSPLASTIC SYNDROMES
CANC - 3527 Ixazomib in Multiple Myeloma	A Phase 3, Randomized, Placebo Controlled, Double-Blind Study of Oral Ixazomib Maintenance Therapy After Initial Therapy in Patients With Newly Diagnosed Multiple Myeloma Not Treated With Stem Cell Transplantation
CANC - 3619	A non-interventional post authorisation registry of patients treated with pomalidomide for relapsed and refractory multiple myeloma who have received at least two prior treatment regimens, including both lenalidomide and bortezomib, and have demonstrated disease progression on the last therapy
CANC - 4957	A MULTICENTER, DOUBLE-BLIND, RANDOMIZED, PLACEBO-CONTROLLED, PHASE III STUDY OF IDASANUTLIN, AN MDM2 ANTAGONIST, WITH CYTARABINE VERSUS CYTARABINE PLUS PLACEBO IN PATIENTS WITH RELAPSED OR REFRACTORY ACUTE MYELOID LEUKEMIA (AML)

Cancer - Lung

A Phase I trial of oral CCT245737	A Phase I trial of oral CCT245737 (a CHK1 inhibitor) given in combination with gemcitabine plus cisplatin or gemcitabine alone in patients with advanced cancer
---	---

Cancer - Other

CANC - 4997	A Phase 3, Randomized, Double-Blind, Placebo-Controlled, Multicenter Study of PEGylated Recombinant Human Hyaluronidase (PEGPH20) in Combination With nab Paclitaxel Plus Gemcitabine Compared With Placebo Plus nab Paclitaxel and Gemcitabine in Subjects with Hyaluronan-High Stage IV Previously Untreated Pancreatic Cancer
A Phase I trial of CCT245737 in patients with advanced cancer	A Phase I trial of CCT245737 (a CHK1 inhibitor) administered orally inpatients with advanced cancer

Research Directory – September 2018

Open Label Study of Relugolix in Men with Advanced Prostate Cancer	HERO: A Multinational Phase 3 Randomized, Open-label, Parallel Group Study to Evaluate the Safety and Efficacy of Relugolix in Men with Advanced Prostate Cancer
Study of AZD4573 in Relapsed or Refractory Haematological Malignancies	A Phase 1, Open-Label, Multicentre, Non-Randomized Study to Assess the Safety, Tolerability, Pharmacokinetics and Preliminary Antitumor Activity of AZD4573, a Potent and Selective CDK9 Inhibitor, in Subjects with Relapsed or Refractory Haematological Malignancies
IMmotion010	A PHASE III, MULTICENTER, RANDOMIZED, PLACEBO-CONTROLLED, DOUBLE-BLIND STUDY OF ATEZOLIZUMAB (ANTI-PD-L1 ANTIBODY) AS ADJUVANT THERAPY IN PATIENTS WITH PD-L1-SELECTED RENAL CELL CARCINOMA AT INTERMEDIATE TO HIGH RISK OF DEVELOPING METASTASIS FOLLOWING NEPHRECTOMY
CHRONOS-4	A Phase III, randomized, double-blind, controlled, multicenter study of intravenous PI3K inhibitor copanlisib in combination with standard immunochemotherapy versus standard immunochemotherapy in patients with relapsed indolent non-Hodgkin's lymphoma (iNHL) - CHRONOS-4
Phase 2 study of ACE-536 in MPN-associated myelofibrosis & anaemia	A PHASE 2, MULTICENTER, OPEN-LABEL STUDY TO EVALUATE THE EFFICACY AND SAFETY OF LUSPATERCEPT (ACE-536) IN SUBJECTS WITH MYELOPROLIFERATIVE NEOPLASM-ASSOCIATED MYELOFIBROSIS AND ANEMIA WITH AND WITHOUT RED BLOOD CELL-TRANSFUSION DEPENDENCE
MEDI0680 with Durvalumab vs Nivolumab Alone	A Phase 1/2, Open-label Study to Evaluate the Safety and Antitumor Activity of MEDI0680 (AMP-514) in Combination with Durvalumab versus Nivolumab Monotherapy in Subjects with Select Advanced Malignancies
A phase 1/2 study with Acalabrutinib and AZD6738 in high risk CLL	A Phase 1/2 Proof-of-Concept Study Investigating AZD6738 monotherapy and Acalabrutinib in Combination with AZD6738 (ATR inhibitor) in Subjects with Relapsed or Refractory High-risk Chronic Lymphocytic Leukemia (CLL).
C16029: Phase 2/3 Randomized, Open-Label Study in Multiple Myeloma	A Phase 2/3, Randomized, Open-Label Study Comparing Oral Ixazomib/Dexamethasone and Oral Pomalidomide/Dexamethasone in Relapsed and/or Refractory Multiple Myeloma
ABL001 versus Bositinib in Chronic Myeloid Leukaemia	A phase 3, multi-center, open-label, randomized study of oral ABL001 versus bosutinib in patients with Chronic Myelogenous Leukemia in chronic phase (CML-CP), previously treated with 2 or more tyrosine kinase inhibitors
NCRN - 3131: EPOCH TheraSphere in Metastatic Colorectal Carcinoma of the Liver (TS102)	EPOCH: A Phase III Clinical Trial Evaluating TheraSphere® in Patients with Metastatic Colorectal Carcinoma of the Liver who have Failed First Line Chemotherapy
ARTIST 1	A Randomized Phase 3 Study of AM0010 in Combination with FOLFOX Compared with FOLFOX Alone as Second-line Therapy in Patients with Metastatic Pancreatic Cancer that has Progressed During or Following a First-Line Gemcitabine Containing Regimen
INCYTE, Efficacy and Safety of INCB054828 in Cholangiocarcinoma	Study Title: A Phase 2, Open-Label, Single-Arm, Multicenter Study to Evaluate the Efficacy and Safety of INCB054828 in Subjects With Advanced/Metastatic or Surgically Unresectable Cholangiocarcinoma Including FGFR2 Translocations Who Failed Previous Therapy
Gilteritinib as Maintenance After Induction/Consolidation in CR1 AML (Astellas AML Maintenance Study)	A Phase 3 Multi-Center, Randomized, Double-Blind, Placebo-Controlled Trial of the FLT3 Inhibitor Gilteritinab (ASP2215) Administered as Maintenance Therapy Following Induction/Consolidation Therapy for Subjects with FLT3/ITD AML in First Complete Remission
NCRN - 3032 - Ibrutinib + Lenalidomide, +/- Rituximab in DLBCL	A Multicenter Open-Label, Randomized Phase 1b/2, Study of the Bruton's Tyrosine Kinase (BTK) Inhibitor, Ibrutinib, in Combination with Lenalidomide, with and without Rituximab in Subjects with Relapsed or Refractory Diffuse Large B-Cell Lymphoma

Cardiovascular Disease	
CARD 4843	A phase III, double-blind, randomized placebo-controlled study to evaluate the effects of dalcetrapib on cardiovascular (CV) risk in a genetically defined population with a recent Acute Coronary Syndrome (ACS): The Dal-GenE trial
PERSPECTIVE	A multicenter, randomized, double-blind, active-controlled study to evaluate the effects of LCZ696 compared to valsartan on cognitive function in patients with chronic heart failure and preserved ejection fraction
1245.110 EMPEROR-Preserved Study	A phase III randomised, double-blind trial to evaluate efficacy and safety of once daily empagliflozin 10 mg compared to placebo, in patients with chronic Heart Failure with preserved Ejection Fraction (HFpEF).
1245.121 EMPEROR-Reduced Study	A phase III randomised, double-blind trial to evaluate efficacy and safety of once daily empagliflozin 10 mg compared to placebo, in patients with chronic Heart Failure with reduced Ejection Fraction(HFrEF).
CARD 4983 GALACTIC-HF	A Double-blind, Randomized, Placebo-controlled, Multicenter Study to Assess the Efficacy and Safety of Omecantiv mecarbil on Mortality and Morbidity in Subjects with Heart Failure with Reduced Ejection Fraction (HFrEF)
ENVISAGE	EDOXABAN VERSUS STANDARD OF CARE AND THEIR EFFECTS ON CLINICAL OUTCOMES IN PATIENTS HAVING UNDERGONE TRANSCATHETER AORTIC VALVE IMPLANTATION – IN ATRIAL FIBRILLATION
ONYX-one study	A Randomized Controlled Trial with Resolute Onyx in One Month Dual Anti Platelet Therapy for High-Bleeding Risk Patients
Children	
CHIL 4871 (VX14-661-110)	A Phase 3, Open-Label, Rollover Study to Evaluate the Safety and Efficacy of Long-term Treatment With VX-661 in Combination With Ivacaftor in Subjects Aged 12 Years and Older With Cystic Fibrosis, Homozygous or Heterozygous for the F508del-CFTR Mutation
Dermatology	
DERM 5560	One-year prospective, observational study of the journey of patients with plaque psoriasis prescribed calcipotriol/betamethasone aerosol foam or other standard care topical therapy
Diabetes	
Phase 1 study of IMCY-0098 in Recent Onset Type 1 Diabetes	A PHASE I, PLACEBO CONTROLLED, DOUBLE-BLIND, DOSE ESCALATION CLINICAL TRIAL TO EVALUATE THE SAFETY AND IMMUNE RESPONSES OF IMCYSE's IMCY-0098 IN PATIENTS WITH RECENT ONSET TYPE 1 DIABETES.
The SCORED Trial	A Randomized, Double-blind, Placebo-controlled, Parallel-group, Multicenter Study to Demonstrate the Effects of Sotagliflozin on Cardiovascular and Renal Events in Patients with Type 2 Diabetes, Cardiovascular Risk Factors and Moderately Impaired Renal Function
PROMINENT	PEMAFIBRATE TO REDUCE CARDIOVASCULAR OUTCOMES BY REDUCING TRIGLYCERIDES IN PATIENTS WITH DIABETES
Gastroenterology	
GAST 3847	Entyvio (vedolizumab) long-term safety study

Haematology	
MCRN2759 (BAY59-7939_14372)	Multicentre, open-label, active-controlled, randomized study to evaluate the efficacy and safety of an age and body weight-adjusted rivaroxaban regimen in children with acute venous thromboembolism
MCRN3225 (998HB303)	An Open-Label, Multicenter Evaluation of the Safety and Efficacy of Recombinant Coagulation Factor IX Fc Fusion Protein (rFIXFc; BIIB029) in the Prevention and Treatment of Bleeding in Previously Untreated Patients With Severe Hemophilia B
CCRN 757 (Haemophilia A)	EFFICACY AND SAFETY OF N8-GP DURING SURGICAL PROCEDURES IN PATIENTS WITH HAEMOPHILIA A
HAEM3406 (997HA306)	An Open-Label, Multicenter Evaluation of the Safety and Efficacy of Recombinant Coagulation Factor VIII Fc Fusion Protein (rFVIII-Fc; BIIB031) in the Prevention and Treatment of Bleeding in Previously Untreated Patients With Severe Hemophilia A
Hepatology	
Efficacy and safety of oral GKT137831	A Double-Blind, Randomized, Placebo-Controlled Clinical Trial to Assess the Efficacy and Safety of Oral GKT137831 in Patients with Primary Biliary Cholangitis Receiving Ursodeoxycholic Acid and with Persistently Elevated Alkaline Phosphatase
Infectious diseases and microbiology	
POSY-TEICO	Prospective, observational cohort, evaluating the incidence of nephrotoxicity, and other adverse events of interest, in patients treated with the higher recommended teicoplanin loading dose (12mg/kg twice a day), and comparison with external historical comparator data
Immunogenicity and Safety of TDV Co-administered with an Hepatitis A V	A Randomized, Observer Blind, Phase 3 Trial to Investigate the Immunogenicity and Safety of the Co-administration of a Subcutaneous Tetravalent Dengue Vaccine Candidate (TDV) and an Intramuscular Hepatitis A Virus (Inactivated) Vaccine in Healthy Subjects Aged 18 to 60 Years in a Non-endemic Country(ies) for Dengue
Musculoskeletal disorders	
MUSC 4535 (Degenerative Disease of the Hip)	A prospective, observational, multi-centre, cohort study of the G7™ acetabular system used with compatible femoral stems in patients with degenerative disease of the hip
MUSC 5224	Icatibant Outcome Survey (IOS) Registry Protocol
Neurological disorders	
CCRN 2944 (MS)	A Multicenter, Global, Observational Study to Collect Information on Safety and to Document the Drug Utilization of Tecfidera™ (Dimethyl Fumarate) When Used in Routine Medical Practice in the Treatment of Multiple Sclerosis (ESTEEM)
NEUR 4539 Lemtrada PASS	A prospective, multicenter, observational post-authorization safety study to evaluate the long term safety profile of Lemtrada® (alemtuzumab) treatment in patients with relapsing forms of multiple sclerosis
NEUR 5478	A 12-MONTH NONINTERVENTIONAL, POSTMARKETING, MULTICENTER STUDY TO EVALUATE THE EFFECTIVENESS OF BRIVIACT® (BRIVARACETAM) AS ADJUNCTIVE THERAPY IN PATIENTS WITH EPILEPSY WITH PARTIAL-ONSET SEIZURES IN DAILY CLINICAL PRACTICE
215MS202 Efficacy & Safety of BIIB033 as an Add-on Therapy in RMS	A Multicenter, Randomized, Double-Blind, Placebo-Controlled Study in Subjects With Relapsing Multiple Sclerosis to Evaluate the Efficacy and Safety of BIIB033 as an Add-On Therapy to Anti-Inflammatory Disease-Modifying Therapies (AFFINITY)

UbLiTuximab In Multiple Sclerosis Treatment Effects (ULTIMATE II)	Phase III: UbLiTuximab In Multiple Sclerosis Treatment Effects (ULTIMATE II STUDY)
Study of GWP42003-P in Tuberous Sclerosis Complex	A double-blind, randomized, placebo-controlled study to investigate the efficacy and safety of cannabidiol (GWP42003-P,CBD) as add-on therapy in patients with tuberous sclerosis complex who experience inadequately-controlled focal seizures
Ophthalmology	
OPHT 4776	An open-label, randomized, active-controlled, parallel-group, Phase-3b study of the efficacy, safety, and tolerability of 2 mg aflibercept administered by intravitreal injections using two different treatment regimens to subjects with neovascular age-related macular degeneration (nAMD)
Primary Care	
PRIM 5039	Pragmatic Randomised 104 Week Multicentre Trial to Evaluate the Comparative Effectiveness of dapagliflozin and Standard of Care in Type 2 Diabetes. The DECIDE Study
PRIM 4852	Post-authorisation Safety (PAS) Observational Cohort Study to Quantify the Incidence and Comparative Safety of Selected Cardiovascular and Cerebrovascular Events in COPD Patients Using Inhaled UMEC/VI Combination or Inhaled UMEC versus Tiotropium (Study 201038).
Renal Disorders	
RENA 3971	A randomized, double-blind, placebo-controlled, parallel-group, multicenter, event-driven phase 3 study to investigate the efficacy of finerenone on the reduction of cardiovascular morbidity and mortality in patients with type 2 diabetes mellitus and the clinical diagnosis of early diabetic kidney disease in addition to standard of care
Pro2tect-Conversion	Phase 3, randomized, open-label, active-controlled study evaluating the efficacy and safety of oral vadadustat for the maintenance treatment of anemia in subjects with non-dialysis-dependent chronic kidney disease (NDD-CKD) (PRO2TECT-CONVERSION)
RENA 5480	A double-blind, randomised, placebo-controlled study to assess the effect of SNF472 on progression of CAC score on top of standard of care in ESRD patients on haemodialysis
Pro2tect-Correction	Phase 3, randomized, open-label, active-controlled study evaluating the efficacy and safety of oral vadadustat for the correction of anemia in subjects with non-dialysis-dependent chronic kidney disease (NDD-CKD) (PRO2TECTCORRECTION)
CL010_168	A Randomized, double-blind, placebo-controlled, phase 3 study to evaluate the safety and efficacy of CCX168 in patients with anti-neutrophil cytoplasmic antibody (ANCA)-Associated Vasculitis Treated Concomitantly with Rituximab or Cyclophosphamide/ Azathioprine
RENA 4590 (ASCEND-ND)	A phase 3 randomized, open-label (sponsor-blind), active-controlled, parallel-group, multi-center, event driven study in non-dialysis subjects with anemia associated with chronic kidney disease to evaluate the safety and efficacy of daprodustat compared to darbepoetin alfa
Respiratory disorders	
A study to observe the normal use and effectiveness of Nucala®.	A Multinational, Single Arm, Observational Study to Evaluate the Real-world Effectiveness and Pattern of Use of mepolizumab in Patients with Severe Eosinophilic Asthma (204710).

Investigating inhaled Promixin in the treatment of non-cystic fibrosis bronchiectasis	A double-blind, placebo controlled, multicentre, clinical trial to investigate the efficacy and safety of 12 months of therapy with inhaled Promixin (colistimethate sodium) in the treatment of subjects with non-cystic fibrosis bronchiectasis chronically infected with <i>Pseudomonas aeruginosa</i> (P.aeruginosa)
---	--

Research Biobanks

REC Reference	Biobank name
14/EE/1112	100,000 Genomes Project
15/NW/0239	A Sheffield Ophthalmology Research Tissue Bank
09/H0405/64	Abcellute Tissue Bank
13/NW/0588	Airwave Health Monitoring Study Tissue Bank
13/WA/0058	AML Clinical Trials Tissue Bank
12/EE/0441	Antitope Research Healthy Donor PBMC Bank
15/WA/0368	Archie Cochrane Biobank. Version 1.0 September 2015
12/SC/0526	Arden Tissue Bank
17/NW/0207	AstraZeneca Alderley Park Biobank
16/NE/0002	Biological Studies of Disease in Childhood
15/SC/0101	Biomedical Research Unit (BRU) Respiratory Biobank
13/SC/0516	Blood BioBank of the Brains for Dementia Research cohort
16/SW/0219	Bloodwise Childhood Leukaemia Cellbank ethics renewal
08/H0704/128+5	Brains for Dementia Research
15/WA/0409	Breastmilk Epigenetics Cohort Study (BECS)
11/EE/0011	Cambridge University Hospitals NHS Foundation Trust Addenbrooke's Huma
14/WA/1179	CANDAS-2 v1.0 27/7/2014
13/WA/0210	Cardiff Fetal Tissue Bank
09/MRE09/35	Cardiff Neurological Disease Biobank & Neurogenetics Research (CANDAS)
17/WA/0405	Cardiff School of Dentistry Tooth Bank
09/H0405/12+5	Central England Haemato-Oncology and oncology Research BioBank
17/NE/0070	CEPA Biobank Newcastle

07/H1005/87+5	Characterisation of tumour molecular response predictors of chemothera
08/h0405/22+5	Children's Cancer and Leukaemia Group (CCLG) Tissue Bank
15/SC/0089	Communicable Disease Group Tissue Bank
09/H0405/32	Creation of a national DNA and cell line repository for functional geo
12/EM/0426	Donate for Research Initiative (DRI)
17/NW/0602	ESPAC-T plus
17/YH/0086	Ethical Tissue, the Research Tissue Bank
07/H1306/98+5	Ethical Tissue, the University of Bradford Human Tissue Bank
15/WS/0258	Exeter Archival Diabetes Biobank
09/MRE00/81	Family and Population Genetic Studies in Mental Health
12/WA/0225	Genetic Beta Cell Research Bank
17/EE/0178	Genetics of Primary IGF-1 deficiency (PIGFD)
10/S0704/25	Glasgow Diabetes Biobank
17/WS/0164	Glasgow Traumatic Brain Injury Archive
10/H0906/22	Great North Biobank
15/NE/0334	Great North Neonatal Biobank
17/SC/0572	HaemBio Biobank Version 1.0
17/WA/0056	Hywel Dda Biobank v1.0
11/WA/0114	Hywel Dda Smoking and Smoking Cessation
10/H0606/81	Imperial Hepatology & Gastroenterology Biobank
09/H0504/39 +5	Infectious Diseases BioBank at King's College London
08/H0906/94+5	KCL Haematoâ"Oncology Tissue Bank
15/YH/0099	Leeds NIHR Biomarker Research Tissue Bank
16/NW/0186	Liverpool School of Tropical Medicine Research Tissue Bank (LSTM-RTB)

11/SW/0153	LLR Childhood Leukaemia Cell Bank
08/MRE09/38+5	MRC London Neurodegenerative Diseases Brain Bank
15/NW/0826	Myositis Research Tissue Bank
12/WA/0336	National Anaplastic Thyroid Cancer Tissue Bank (NATT) to be hosted wit
16/WA/0323	National Centre for Mental Health (NCMH)
14/NE/1101	National GIST Biobank
14/SC/1020	New Methods of Detecting Problems in Pregnancy - Sample Bank
08/H0906/136+5	Newcastle Brain Tissue Resource
07/H0906/109+5	Newcastle Haematology Biobank
14/WS/1035	NHS GG&C additional sample tissue resource to support I3I Research
17/WS/0207	NHS GG&C Gastroenterology Researchers Tissue Bioresource
10/S0704/60	NHSGGC Biorepository and Pathology Service Tissue Resource
16/WS/0207	NHSGGC Bio-repository and Pathology Tissue Resource II
15/SC/0388	NIHR BRC BioResource for Mental and Neurological Health 2.0
08/h0304/85+5	Norwich Biorepository (formerly the Partners in Cancer Research Human
09/H0606/5	ORB: Oxford Radcliffe Biobank (Medical Oncology Group)
09/H0606/5+5	Oxford Radcliffe Biobank
13/SC/0593	Pancreatic Cancer Research Fund Tissue Bank
10/WNo03/28	Pilot study into the development of a bank of information for patients
11/EE/0515	Primary IGF-1 deficiency (PIGFD) tissue bank
09/MRE09/52	PsyCymru: A feasibility study to establish Psychosis Cohort Cymru.
14/WA/1136	Psycymru-wales psychosis cohort
13/NW/0017	Quality in Organ Donation
08/H0718/54+5	Queen Square Brain Bank for Neurological Disorders (QSBB) and NeuroRes

12/WS/0069	ReproCELL Europe Limited. Studies on Isolated Tissues to Investigate New Medicines
16/EE/0334	Research Tissue Bank for MedImmune
15/SC/0569	Royal Brompton & Harefield NHS Foundation Trust Tissue Bank V2.0
13/WA/0120	South Wales Initiative for Fetal Tissue (SWIFT) Research Tissue Bank
09/S1402/20	South West Newly Diagnosed Type 1 Diabetes Collection - 2
17/WS/0049	Studies on Isolated Tissues to Investigate New Medicines
17/ES/0130	Tayside Biorepository
09/h0906/52+5	The Manchester Brain Bank
12/LO/0135	The National Birdshot Biobank Project
12/NE/0256	The Newcastle Biomedicine Cancer Biobank
16/NE/0267	The Newcastle Mitochondrial Research Biobank
13/EE/0395	The Research Tissue Bank, Huntingdon Life Sciences
17/WA/0290	The Swansea Neurology Biobank
16/NI/0192	Tooth Tissue Bank at Bristol Dental Hospital
10/H0606/40	UCB NHSBT Buffy Coat Bank
12/YH/0111	UCL Eastman Biobank
15/YH/0311	UCL/UCLH Biobank for Studying Health and Disease
16/WA/0289	UCL-RFH Biobank
16/NW/0274	UK Biobank: a large scale prospective epidemiological resource
14/SC/0098	UK Brain Archive Information Network (BRAIN UK)
14/NW/1014	UK CLL Trials Biobank
09/H1010/19+5	United Kingdom Primary Sjogren's Syndrome Registry
09/H0906/14	Vascular Disease Biorepository
16/WA/0256	Wales Cancer Bank

12/WA/0150	Wales Epilepsy and Transient Loss of Consciousness Biobank
09/WSE02/48+5	Wales Kidney Research Tissue Bank
11/WA/0255	Wales Mental Health Network, National Centre for Mental Health, Cardiff
14/WA/0073	Welsh Neuroscience Research Tissue Bank
16/WS/0152	West of Scotland Neuroimmunology Biobank
15/YH/0016	York Tissue Bank

Research Data Registries

REC Reference	Database name
16/LO/1093	A National Neonatal Research Database
17/YH/0325	A national surveillance study of inherited white matter disorders
11/NW/0187	Advanced Stent-Graft Techniques for Aneurysm Repair
10/H1010/51	Aintree Liver Resection Database
14/NE/1200	Airway Intervention Registry (AIR)
09/WSE02/54+5	All Wales Perinatal Survey
13/EM/0007	Analysing the Galatean Risk and Safety Tool (GRiST) Database
14/LO/0383	ASSERT 2 Database (Version 1)
11/LO/0253	Assessment of effectiveness of ESWT for soft tissue injuries (ASSERT)
17/SW/0107	Barts Health:NICOR - Extended Use of Data
16/SW/0312	BNFL worker epidemiology study
17/LO/0971	Breaking Free from Smoking - Research Database
12/LO/0076	Breaking Free Online Research Database
10/H1102/86	British Childhood Cancer Survivor Study (BCCSS)
09/H0405/48	British Isles Network of Congenital Anomaly Registers
17/NW/0185	BSET GLOBALSTAR v2.0
17/EE/0346	BTS Idiopathic Pulmonary Fibrosis and Sarcoidosis Registry
17/LO/1539	BTS Multidrug-resistant Tuberculosis Clinical Advice Service Database
09/H0810/16	CALIBER Version 1
16/WS/0203	Childhood Epileptic Encephalopathies Database
16/SC/0346	Clinical Endocrine Registry
11/SW/0209	Collaborative Neonatal Dataset (CONED)
12/SC/0029	DARLInG Database Version 1
17/YH/0278	dREAMS
17/LO/0449	ECCI cCMV Database
11/LO/0567	Education and Research Database for healthcare communication
12/SC/0532	Epidemiological studies using the case and control data of the NRCT
12/SC/0499	Epidemiology and outcome from Out of Hospital Cardiac Arrest (OHCA)

09/H1310/49	Epidemiology of childhood ataxias
15/EM/0038	European Network of Rare Bleeding Disorders: PRO-RBDD
11/NW/0339	Evaluation of the new "Fit Note":construction of national database V1
12/NE/0398	Familial Hypercholesterolaemia Paediatric Register
16/ES/0094	Genetic Skin Disease in Scotland
13/NE/0266	Global FKRP Registry
10/H0308/26	Glycogen Storage Disease VI and IX Registry
13/LO/0329	Hairy cell leukaemia patient registry and clinical database
15/WA/0076	HealthWise Wales
10/H0405/25	Healthy Living in ProtecT participants (HeLPP): use of data v1
16/SC/0377	Improving outcomes from the treatment of back pain
12/NW/0759	Inception Cohort for juvenile systemic scleroderma
09/H0606/108	Inherited Cardiac Conditions UK register (UK GenetICC)
11/EM/0311	International Epilepsy Database (version 2)
13/WS/0220	International Fetal Cardiac Intervention Registry
14/NE/0116	International NCL Registry (UK)
09/H1102/1+5	LATTE: Long-term Anastrozole vs Tamoxifen Treatment Effects
16/EM/0440	Linked de-identified research database for congenital anomaly outcomes
15/LO/0810	MND Register for England, Wales and Northern Ireland
15/SW/0140	Mortality and cancer registration for the Boyd Orr cohort. Version 1
15/NE/0390	Myotubular and Centronuclear Patient Registry
16/SW/0313	National Registry for Radiation Workers (NRRW)
14/SW/1088	National Registry for Rare Kidney Diseases (RaDaR)
05/Q0806/34+5	Neonatal Infection Surveillance Database (neonIN)
12/SW/0368	Non-interventional Study of Pasireotide sc Study in Cushing's Disease
17/SC/0001	NRCT Research Database v 1.0
15/EM/0150	Optimum Patient Care-Research Database (OPC-RD)
12/SW/0273	Patient Outcomes Registry
16/SC/0374	Perioperative Quality Improvement Programme (PQIP)
17/LO/0973	Pillars of Recovery assessment site - research database

12/EM/0001	P-Medicine: Data sharing and integration for personalised medicine
12/SW/0326	PPCI Registry Feasibility Study
14/SC/0093	PreDiCT-TB: Model-based preclinical dev. of TB drug combinations v1
16/ES/0093	Preterm Clinical Network Database v.1
10/H1010/14	Prospective CML registry in Northern England & Wales for EUTOS
10/H0903/53	Prospective Hyponatremia Registry
13/EM/0044	QSurveillance Database
17/WM/0343	Rectal Cancer Oncological Complete Response Database (OnCoRe)
17/NS/0066	Register for asthma research (REACH)
15/LO/1327	Registry for Patients with Niemann-Pick Type C Disease
17/SS/0050	Registry for Patients with Niemann-Pick Type C Disease (Scotland 2)
09/H1102/16+5	Research register for transient neonatal diabetes 2014-2019 version 1
17/LO/0049	Research using the National Chronic Kidney Disease Audit data
15/WA/0229	Rett Syndrome Registry for the UK (RSRUK)
09/H1010/2	Risk modelling for aneurysm surgery 1.0
09/H1010/1	Risk modelling for carotid surgery 1.0
13/WS/0148	Searchable Online Database for MRC UK Brain Banks Network
17/SS/0044	Service User Researcher Database
17/LO/0846	Small Area Health Statistics Unit (SAHSU)
	Stroke Hub Wales
15/LO/0499	TATME database
16/LO/0895	Teenage and Young Adult Cancer Survivor Study (TYACSS)
17/LO/1098	The ACPGBI Robotic Registry
14/SS/1101	The European Bronchiectasis Registry
17/NW/0129	The Health and Occupation Research Network
14/WS/1050	The I-DSD Registry v2.0
16/SW/0194	The UK Multiple Sclerosis Register
15/NW/0449	The UK National Registry of Chronic Myeloid Leukaemia (CML)
16/NE/0042	The UK Renal Registry: a research database
12/WS/0277	The Virtual International Cardiovascular and Cognitive Trials Archive

12/SW/0272	TROPHY
12/WA/0159	TSC European Disease Registry Study (TOSCA)
11/LO/1144	UK Endocarditis Research Database
13/NE/0048	UK FSHD Patient Registry
11/EE/0041	UK Gastrointestinal Stromal Tumour (GIST) Registry
12/SC/0260	UK IBD twin database
13/LO/0199	UK Ileal pouch registry
17/EM/0015	UK LAM Registry
11/SW/0160	UK Multiple Sclerosis Register
11/NE/0179	UK National Registry for Myotonic Dystrophy v1.0
16/SW/0314	UK Nuclear Weapons Test Participants Study (NWTPS)
10/H0717/110	Use of urinary steroid profile data for research. Version 1
09/H1010/2+5	Vascular Governance North West Database (VGNW)
14/WA/1177	Virtual Physiological Human VPH-Share
11/EM/0189	West London Premature Ovarian Failure Database
17/LO/1666	WMUK Registry
17/NW/0530	X-Linked Hypophosphatemia Registry

Pathway to Portfolio

Study Name	Study Description
Cancer	
Factors that contribute to variation of lung cancer survival in Wales	What are the population and health service factors that contribute to the variation in lung cancer survival rates across Wales?
Cardiovascular	
Feasibility Pilot of Anticoagulation Self Testing (FAST)	Pilot Feasibility of Anticoagulation Self Testing (FAST)
Investigation Into The Role Of Tryptophan Metabolism In The Development Of Delirium Symptoms	Investigation into the Role of Tryptophan Metabolism in the Development of Delirium Symptoms
Dementias and neurodegeneration	
Characterising Vascular Cognitive Impairment.	Characterising Vascular Cognitive Impairment.
Diabetes	
Mono peptide Follow-up	Assessing daily insulin usage and glycated haemoglobin over 2 years following end of follow up period in phase 1b study of proinsulin peptide immunotherapy in new-onset type 1 diabetes
Proinsulin in GDM	Proinsulin in the Diagnosis and Risk Stratification of Gestational Diabetes Mellitus
Generic Health Relevance	
Exploring the dental prescribing and General Dental Services databases	Exploring the dental prescribing and General Dental Services databases to determine the feasibility of producing individual antibiotic prescribing profiles of dental practitioners in Wales.
Factors associated with overweight or obesity in 4-5yr olds in Wales	An investigation into factors associated with overweight or obesity in 4 to 5 year olds in Wales.
Perception of occupational therapists of their role in child obesity	A qualitative exploration of the perception of children's occupational therapist's role in childhood obesity
Priming values and empathic behaviour for NHS staff	The effect of priming personal values on empathic behaviour in front line NHS staff
Welsh ACE, Resilience and Health Survey	Welsh National Adverse Childhood Experiences, Resilience and Health Survey
Infection	
Incidence of infectious disease in BME groups using Onomap	Assessing the incidence of infectious disease in Black and Minority Ethnic groups living in Wales using 'Onomap', a name-based ethnicity software package.
Mental Health	
Feasibility of offering family domains therapy alongside DBT	A feasibility study investigating the provision of a Family Domains Therapy (FDT) intervention for the parents/carers of self-harming young people undergoing Dialectical Behaviour Therapy (DBT) in North Wales
Finding a way forward for mental well-being	Finding a way forward for mental well-being – a co-produced mixed methods feasibility study
Trans-diagnostic Emotional Dysregulation Device (TED-D)	The Trans-diagnostic Emotional Dysregulation Device (TED-D) Project: Development and evaluation of a therapy enhancing device based on wearable biosensor technology and App for use in AMH settings in the NHS. Pilot Study.

Research Directory – September 2018

Neurological	
ENact-PD: EEG Neuro-feedback in Parkinson's. Version1.0	ENact-PD: EEG Neurofeedback to improve motor symptoms in Parkinson's: A feasibility trial of alpha frequency neuro-feedback in alleviating motor symptoms in Parkinson's disease
Other	
Chronic Pain Phenotype in Patients with Inflammatory Arthritis	Chronic Pain Phenotype in Patients with Inflammatory Arthritis
Cognitive Assessment in First Language Welsh Speakers – should they be performed in Welsh? A Pilot Study	Cognitive Assessment in First Language Welsh Speakers – should they be performed in Welsh? A Pilot Study
Development of a perceptual learning module in breast radiology	The Development of a perceptual learning module in breast radiology
DEVISE	Development, validation and implementation of a new quantitative stress echocardiographic test for myocardial ischaemia
Early stage feasibility assessment of a non-pharmacological intervention for motor slowing and fatigue in Parkinson's disease	Early stage feasibility assessment of a non-pharmacological intervention for motor slowing and fatigue in Parkinson's disease
Effect Of Thienopyridines And Non-Thienopyridines On Endothelial Dysfunction And NO Metabolites In Patients With Stable Angina Undergoing Percutaneous Coronary Intervention	Effect of Thienopyridines and Non-thienopyridines on Endothelial Dysfunction and NO metabolites in patients with stable angina undergoing percutaneous coronary intervention.
Evaluation And Assessment Of Nutritional Status In Home Parenteral Nutrition (HPN) Patients	Evaluation and Assessment of Nutritional Status in Home Parenteral Nutrition (HPN) Patients
Evaluation of Learning and Memory in Temporal Lobe Epilepsy	Evaluation of Learning and Memory in Temporal Lobe Epilepsy
Inflammation and complications of Type 2 diabetes: detection of at-risk patients from leukocyte tropomyosin gene expression.	Inflammation and complications of Type 2 diabetes: detection of at-risk patients from leukocyte tropomyosin gene expression.
JUMP Joining together to Understand diabetes mellitus type 2 Progression in children.	Type 2 Diabetes in Childhood: Building a platform for interventions to prevent the progression to cardiovascular disease
Microbiome Of The Neonatal Lung And Chronic Lung Disease	The microbiome of the neonatal lung and its role in chronic lung disease of prematurity
PET Tracer Uptake Variations In Health And Disease	PET Tracer Uptake Variations In Health And Disease
Pharmacy graduate preparedness for pre-registration training v1.0	How can schools of pharmacy best prepare their graduates for the pre-registration year? The public sector perspective.
"Prognostic Significance of Radiological Parameters in Patients with Oesophageal	
and Oesophago-Gastric Cancer"	Prognostic Significance of Radiological Parameters in Patients with Oesophageal and Oesophago-Gastric Cancer
Surplus Brain Tumour Tissue	Obtaining Brain Tumour Tissue From Patients Undergoing Neurosurgery
The Effectiveness Of A Peer Support Group Within A Community Stoke Service	The Effectiveness of a Peer Support Group within a Community Stroke Service

The European Porphyrin Registry	The European Porphyrin Registry
The long term effects of active cancer treatment:patient experience.	The long term effects of active cancer treatment:patient experience
Variants Of Uncertain Significance In Familial Hypercholesterolaemia. Can Family Cosegregation Analysis Help Determine Pathogenicity?	Variants of Uncertain Significance in Familial Hypercholesterolaemia. Can family cosegregation analysis help determine pathogenicity?
Renal and Urogenital	
Barriers to pre-emptive live donor kidney transplantation	The influence of illness perceptions and illness knowledge on pre-emptive live donor kidney transplantation: a mixed methods study.
Cognitive impairment in patients with chronic kidney disease.	A longitudinal investigation estimating the prevalence and incidence of cognitive impairment in patients with Chronic Kidney Disease attending a specialist outpatient clinic.
Reproductive Health and Childbirth	
PGD in Wales V 1.0	Experiences of Pre-Implantation Genetic Diagnosis in Wales
Respiratory	
Collection Methods 1 - Nasal Mucous	Evaluation of Different Collection Methods for Nasal Mucous in Humans (1)